START

CATNUM
Sample category
16. AMI - Outpatient visit	57. OEF/OIF scrnd TBI+
36. SCI Dx	60. DM Outpatient
48. Female, age 20-69	61. Inpatient SCI
50. Random Sample	64. CHF Outpatient
51. Random Sample MH	68. Contract CBOC
54. Frail/Elderly	

FEFLAG (rcvd on pull list)
FE case flagged for CGPI review / scoring?
0. No
1. Yes

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

MODSEVCI (MH)
During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

COGSCOR (MH)
What was the outcome of the screen for cognitive impairment?
4. Score indicated mild cognitive impairment
5. Score indicated moderate to severe impairment
6. Score indicated no cognitive impairment
95. Not applicable
99. No score documented in the record or unable to determine outcome

DEMENTDX (MH)
During the past year, does the record document a diagnosis of dementia as evidenced by one of the following ICD-9-CM codes?
-- Dementia (290.XX)
-- Alcohol induced mental disorders (291.XX)
-- Dementia in conditions classified elsewhere (294.XX)
-- Other cerebral degeneration (331.XX)
1. Yes
2. No

DEPTXYR (MH)
Within the past year, did the patient have at least one clinical encounter where depression was identified as a reason for the visit as evidenced by one of the following ICD-9-CM codes: **296.2-296.3, 298.0, 300.4, 301.12, 309.0, 309.1, 309.28, or 311.**
1. Yes
2. No

BPDXYR (MH)
Within the past year, did the patient have at least one clinical encounter where bipolar disorder was identified as a reason for the clinical encounter as evidenced by one of the following ICD-9-CM codes: **296.5x, 296. 6x, 296.7x, or 296.8x**
1. Yes
2. No

Flowchart:

START → CATNUM
CATNUM — 54 → FEFLAG
CATNUM — NOT = 16, 48, 50, 51, 54 or 60 → (down to EXCLUDED)
CATNUM — 16, 48, 50, 51, 60 → REVSTAT
FEFLAG — 0 or Missing → EXCLUDED
FEFLAG — 1 → REVSTAT
REVSTAT — NOT = 2 → (EXCLUDED)
REVSTAT — 2 → MODSEVCI
MODSEVCI — 1 or Missing → (EXCLUDED)
MODSEVCI — 2 → COGSCOR
COGSCOR — 5 or Missing → (EXCLUDED)
COGSCOR — 4, 6, 95, 99 → DEMENTDX
DEMENTDX — 1 or Missing → EXCLUDED
DEMENTDX — 2 → DEPTXYR
DEPTXYR — 1 or Missing → Pg 4
DEPTXYR — 2 → BPDXYR
BPDXYR — 1 or Missing → Pg 4
BPDXYR — 2 → Pg 2

NOTE: Each record has to opportunity to be included up to 2 times for this measure.

Pg 2

PHQ2DT → < 10/01/08, 99/99/9999 or Missing → EXCLUDED

>= 10/01/08

SCRNPHQ → 3 (left branch)

2 or 4

PH1SCOR → 95, 99 (left) → 3 (right)

0, 1, 2

PH2SCOR → 95, 99 (left) → 3 (right)

0, 1, 2

Calculate sum of PH1SCOR + PH2SCOR → >= 3

< 3

PHQTOTAL → >=3

< 3 or Not Numeric

OUTCOME3 → 1 → Pg 3b

2, 95, 99

Pg 3

PHQ2DT (MH)
Enter the date of the most recent screening for depression by the PHQ-2 or PHQ-9.

SCRNPHQ (MH)
On the date of the most recent screening for depression, was the patient screened by the PHQ-2 or the PHQ-9?
2. Screened by PHQ-2
3. Screened by PHQ-9
4. Screened by PHQ-2 AND PHQ-9 on the same date

PH1SCOR (MH)
Enter the score for PHQ-2 Question 1 documented in the record:
Over the past 2 weeks, have you been bothered by little interest or pleasure in doing things?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

PH2SCOR (MH)
Enter the score for PHQ-2 Question 2 documented in the record:
Over the past 2 weeks, have you been bothered by feeling down, depressed, or hopeless?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

PHQTOTAL (MH)
Enter the total score for the **PHQ-2** documented in the medical record.

OUTCOME3 (MH)
What was the outcome of the PHQ-2 documented in the record?
1. Outcome positive (suggestive of depression)
2. Outcome negative (no indication of depression)
95. Not applicable
99. Outcome not documented

Pg 3

SCRNPHQ — 2 → Pg 4

3 or 4

PH9TOTAL — >= 10

< 10 or Not Numeric

PH9SCOR — 1, 2, 3

0, 95, 99

3, 4, 95, 99

PHQ9OUT — 1, 5, 6, 7

Pg 3b → DEPRISK — 2 → Add 1 to **DENOMINATOR**

1

Calculate DEPRSKDT - PHQ2DT — < 0 or > 1 → Add 1 to **DENOMINATOR**

>= 0 and <= 1

Add 1 to **DENOMINATOR** and Add 1 to **NUMERATOR** → Pg 4

PHQ9TOTAL (MH)
Enter the total score of the PHQ-9 documented in the record.

PH9SCOR (MH)
Enter the score for PHQ-9 Question 9 documented in the record:
Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

PHQ9OUT (MH)
Was the outcome of the PHQ-9 documented in the medical record?
1. Outcome positive
3. Score suggestive of no depression
4. Score suggestive of mild depression
5. Score suggestive of moderate depression
6. Score suggestive of moderately severe depression
7. Score suggestive of severe depression
95. Not applicable
99. No documentation of outcome

DEPRISK (MH)
Following the positive PHQ-2 or PHQ-9 depression screen or affirmative answer to PHQ-9 question 9, did the provider document a suicide ideation/behavior evaluation?
1. Yes
2. No

DEPRSKDT (MH)
Enter the date of the suicide ideation/ behavior evaluation.

PTSDSCOR (MH)
Enter the total score for the screen documented in the record.
(If the total score is NOT documented in the record, enter default zz.)

PCPTSD (MH)
Enter the patient's answers to each of the Primary Care PTSD Screen questions:
Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you: (q119 MH)
PCPTSD1. Have had any nightmares about it or thought about it when you did not want to?
PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?
PCPTSD3. Were constantly on guard, watchful, or easily startled?
PCPTSD4. Felt numb or detached from others, activities, or your surroundings?
1. Yes
2. No
95. Not applicable
99. No answer documented

PTSDRISK (MH)
Following the positive PC-PTSD screen, did the licensed independent provider document a suicide ideation/behavior evaluation?
1. Yes
2. No

SCORINTRP (MH)
Enter the interpretation of the score, as documented in the medical record.
1. Positive
2. Negative
95. Not applicable
99. No interpretation documented

RSKPTSDT (MH)
Enter the date of the suicide ideation/behavior evaluation.