

LAPSCOPE (SCIP)

Was the principal procedure performed entirely by laparoscope or other fiber optic scope?

- 1. Yes
- 2. No
- 99. Unable to determine

CLNTRIAL (SCIP)

During this hospital stay, was the patient enrolled in a clinical trial in which patients undergoing surgery were being studied?

- 1. Yes
- 2. No

ANEBEGDT (SCIP)

Enter the date the anesthesia was started for the principal procedure.

PERIEXPR (SCIP)


Is there documentation that the patient expired during the timeframe from surgical incision through discharge from the post anesthesia care/ recovery area?


- 1. Yes
- 2. No
- 95. Not applicable

PREADMBB (SCIP)

Was there documentation that the patient was on betablocker therapy prior to arrival?

- 1. Yes
- 2. No
- 95. Not applicable





PREGNANT (SCIP)

Was the patient taking the beta-blocker prior to arrival pregnant?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Unable to determine

SEX

Patient's gender. (rcvd on pull list)

- 1. Male
- 2. Female
- 3. Unknown

PERIOPBB (SCIP)

Did the patient receive a beta-blocker during the perioperative period?

NOTE: For the SCIP cardiac measures, the perioperative period is defined as 24 hours prior to surgical incision through discharge from the post anesthesia care/recovery area.

- 1. Yes
- 2. No
- 95. Not applicable

NOPERIBB (SCIP)

Was there documentation of reasons for not administering a beta-blocker during the perioperative period?

- 1. Bradycardia (heart rate less than 50 bpm)
- 97. Other reasons documented by physician/ APN/PA orpharmacist
- 99. No reasons documented
- 95. Not applicable