



>= 0 and <= 120




DCDISPO (Validation)

What was the patient's discharge disposition on the day of discharge?

- 1. Home
- -- Assisted Living Facilities (ALFs) includes assisted living care at nursing home facility
- -- Court/Law Enforcement includes detention facilities, jails, and prison
- -- Home includes board and care, domiciliary, foster or residential care, group or personal care homes, retirement communities, and homeless shelters
- -- Home with Home Health Services
- -- Outpatient Services including outpatient procedures at another hospital, outpatient Chemical Dependency Programs and Partial Hospitalization
- 2. Hospice Home (or other home setting as listed in #1 above)
- 3. Hospice Health Care Facility
- -- General Inpatient and Respite, Residential and Skilled Facilities, and Other Health Care Facilities
- 4. Acute Care Facility
- -- Acute Short Term General and Critical Access Hospitals
- -- Cancer and Children's Hospitals
- -- Department of Defense and Veteran's Administration Hospitals
- 5. Other Health Care Facility
- -- Extended or Immediate Care Facility (ECF/ICF)
- -- Long Term Acute Care Hospital (LTACH)
- -- Nursing Home or Facility including Veteran's Administration Nursing Facility
- -- Psychiatric Hospital or Psychiatric Unit of a Hospital
- -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
- -- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed
- -- Transitional Care Unit (TCU)
- 6. Expired
- 7. Left Against Medical Advice/AMA
- 99. Not documented or unable to determine





| PRELDL (Hx & Assmt) Was a LDL-cholesterol (LDL-c) test in mg/ dL (or mg/100ml) performed within 30 days prior to hospital arrival? 1. Yes 2. No 95. Not applicable | PRECHOL (Hx & Assmt)Was a total cholesterol (TC or cholesterol) test in mg/dL (or mg/100ml) performed within the 30 days prior to hospital arrival?1. Yes2. No95. Not applicable | PRELDLVAL (Hx & Assmt) Were any of the patient's LDL-c cholesterol (or total cholesterol) levels less than 100 mg/dL from testing done within 30 days prior to hospital arrival? 1. Yes 2. No |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOSTAWHY (Discharge) Is there documentation of a reason for not prescribing a statin medication at discharge? | | |

1. Statin medication allergy

- 95. Not applicable
- Other reason documented by a physician/APN/PA or pharmacist for not prescribing a statin medication at discharge
- 98. Patient refusal of ALL statin medications documented by physician/APN/PA or pharmacist
- 99. No documented reason