


# Global 3q13 - TOB5 - Tobacco Use Treatment at Discharge (TOB-3a)







# Global 3q13 - TOB5 - Tobacco Use Treatment at Discharge (TOB-3a)

#### DCDISPO (Global Measures)

What was the patient's discharge disposition on the day of discharge? 1. Home

- -- Assisted Living Facilities (ALFs) includes assisted living care at nursing home/ facility
- -- Court/Law Enforcement -- includes detention facilities, jails, and prison
- -- Home includes board and care, domiciliary, foster or residential care, group or personal care homes, retirement communities, and homeless shelters
- -- Home with Home Health Services
- -- Outpatient Services including outpatient procedures at another hospital,
  - outpatient Chemical Dependency Programs and Partial Hospitalization
  - 2. Hospice Home (or other home setting as listed in #1 above)
  - 3. Hospice Health Care Facility
  - -- General Inpatient and Respite, Residential and Skilled Facilities, and Other
  - Health Care Facilities
  - 4. Acute Care Facility
  - -- Acute Short Term General and Critical Access Hospitals
  - -- Cancer and Children's Hospitals
  - -- Department of Defense and Veteran's Administration Hospitals
  - 5. Other Health Care Facility
  - -- Extended or Immediate Care Facility (ECF/ICF)
  - -- Long Term Acute Care Hospital (LTACH)
  - -- Nursing Home or Facility including Veteran's Administration Nursing Facility
  - -- Psychiatric Hospital or Psychiatric Unit of a Hospital
  - -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
  - -- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed
  - -- Transitional Care Unit (TCU)
  - 6. Expired
  - 7. Left Against Medical Advice/AMA
  - 99. Not documented or unable to determine

## TOBSTATUS (Global Measures)

- What is the patient's tobacco use status?
- 1. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days.
- 2. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days.
- 3. Smokes cigarettes but does not smoke daily.
- 4. Has used smokeless tobacco products in the past 30 days.
- 5. Has smoked a pipe or cigar daily in the past 30 days.
- Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days and has used smokeless tobacco products in the past 30 days.
- 10. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days, has used smokeless tobacco products in the past 30 days, and has smoked a pipe or cigars daily in the past 30 days
- 11. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has used smokeless tobacco products in the past 30 days.
- 12. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days, and has used smokeless tobacco products in the past 30 days.
- 13. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days.
- 14. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days.

#### **REFOPTOB** (Global Measures)

Did the patient receive a referral for Outpatient Tobacco Cessation Counseling?

- 1. The referral to outpatient tobacco cessation counseling treatment was made by the healthcare provider prior to discharge.
- Referral information was given to the patient at discharge but the appointment was not made by the provider prior to discharge.
- The referral for outpatient tobacco cessation counseling treatment was not offered because the patient's residence is not in the USA.
- Patient refused the referral for outpatient tobacco cessation counseling treatment and the referral was not made.
- 99. The referral for outpatient tobacco cessation counseling treatment was not offered at discharge or unable to determine from the medical record documentation.

### Global 3q13 - TOB5 - Tobacco Use Treatment at Discharge (TOB-3a)

