

Global 4q13 - TOB4 - Tobacco Use Treatment Provided or Offered at Discharge (TOB-3)

What was the patient's discharge disposition on the day of discharge?

-- Court/Law Enforcement – includes detention facilities, jails, and prison -- Home – includes board and care, domiciliary, foster or residential care, group or


-- Outpatient Services including outpatient procedures at another hospital,

General Inpatient and Respite, Residential and Skilled Facilities, and Other

outpatient Chemical Dependency Programs and Partial Hospitalization 2. Hospice – Home (or other home setting as listed in #1 above)

personal care homes, retirement communities, and homeless shelters

-- Assisted Living Facilities (ALFs) - includes assisted living care at nursing home/



99. The patient was not screened for tobacco use during this hospitalization or unable to determine the patient's tobacco use status from medical record documentation.

5. Other Health Care Facility -- Extended or Immediate Care Facility (ECF/ICF)

- -- Long Term Acute Care Hospital (LTACH)
- -- Nursing Home or Facility including Veteran's Administration Nursing Facility
- -- Psychiatric Hospital or Psychiatric Unit of a Hospital

-- Acute Short Term General and Critical Access Hospitals

- -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
- -- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed

-- Department of Defense and Veteran's Administration Hospitals

-- Transitional Care Unit (TCU)

DCDISPO (Global Measures)

-- Home with Home Health Services

3. Hospice - Health Care Facility

-- Cancer and Children's Hospitals

Health Care Facilities 4. Acute Care Facility

1. Home

facility

- 6. Expired
- 7. Left Against Medical Advice/AMA
- 99. Not documented or unable to determine

TOBSTATUS (Global Measures)

- What is the patient's tobacco use status?
- 1. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days.
- 2. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days.
- 3. Smokes cigarettes but does not smoke daily.
- 4. Has used smokeless tobacco products in the past 30 days.
- 5. Has smoked a pipe or cigar daily in the past 30 days.
- Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days and has used smokeless tobacco products in the past 30 days.
- 10. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days, has used smokeless tobacco products in the past 30 days, and has smoked a pipe or cigars daily in the past 30 days
- 11. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has used smokeless tobacco products in the past 30 days.
- 12. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days, and has used smokeless tobacco products in the past 30 days.
- 13. Has smoked cigarettes on average in a volume of five or less cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days.
- 14. Has smoked cigarettes on average in a volume of more than five cigarettes per day during the past 30 days and has smoked a pipe or cigars daily in the past 30 days.

REFOPTOB (Global Measures)

Did the patient receive a referral for Outpatient Tobacco Cessation Counseling?

- The referral to outpatient tobacco cessation counseling treatment was made by the healthcare provider prior to discharge.
- 2. Referral information was given to the patient at discharge but the appointment was not made by the provider prior to discharge.
- 4. The referral for outpatient tobacco cessation counseling treatment was not offered because the patient's residence is not in the USA.
- 98. Patient refused the referral for outpatient tobacco cessation counseling treatment and the referral was not made.
- 99. The referral for outpatient tobacco cessation counseling treatment was not offered at discharge or unable to determine from the medical record documentation.

