

OTHRPX1 OTHRPX2,

OTHRPX3,


OTHRPX4, OTHRPX5


Pg 2

any on

table 4.07

EXCLUDED





PRINCODE (SCIP)

Enter the ICD-9-CM principal diagnosis code:

CLNTRIAL (SCIP)

During this hospital stay, was the patient enrolled in a clinical trial in which patients undergoing surgery were being studied?

- 1. Yes
- 2. No

ANEBEGDT (SCIP)

Enter the date the anesthesia was started for the principal procedure.

INFECDOC (SCIP)

Did the patient have an infection during this hospitalization prior to the principal procedure? (Requires Physician, APN, or PA

documentation)

1 = Yes 2 = No

Were there any other procedures requiring general or spinal/epidural anesthesia that occurred within 3 days (4 days for CABG or Other Cardiac Surgery) prior to or after the principal procedure during this hospital stay?

Indicate all that apply: (SCIP)

OTHRSURG1. CABG


OTHRSURG2. Other Cardiac surgery (not CABG)

OTHRSURG3. Hip arthroplasty
OTHRSURG4. Knee arthroplasty
OTHRSURG5. Colon surgery
OTHRSURG6. Hysterectomy
OTHRSURG7. Vascular surgery

OTHRSURG8. Other

OTHRSURG99. No other procedure performed

within this timeframe



INCIZEDT (SCIP)

Enter the date the incision was made for the principal procedure.

RECVANTI (SCIP)

Did the patient receive an antibiotic via an appropriate route? (PO, NG, PEG, IV, or perfusion)

- Antibiotic received only within 24 hours prior to arrival or the day prior to arrival and not during hospital stay
- 2. Antibiotic received within 24 hours prior to arrival or the day prior to arrival and during hospital stay.
- Antibiotic received only during hospital stay (not prior to arrival)
- Antibiotic not received or unable to determine from medical record documentation

BIONAME (SCIP)

Document the name of each antibiotic doses administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for CABG or Other Cardiac Surgery).

BIOROUTE (SCIP)

Enter the route of administration of each antibiotic dose that was administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for CABG or Other Cardiac Surgery).

- 1. PO, NG, PEG tube (Oral)
- 2. IV (Intravenous, perfusion)
- 3. IM (Intramuscular)
- 99. UTD (Unable to determine route)

