


SC 2q15 – SIP1f – SIP - Inpt - Prophylactic antibiotics started timely - Colon surgery (SCIP-Inf 1f)



INCIZEDT (SCIP)

Enter the date the incision was made for the principal procedure.

RECVANTI (SCIP)

Did the patient receive an antibiotic via an appropriate route? (PO, NG, PEG, IV, or perfusion)

- 1. Antibiotic received only within 24 hours prior to arrival or the day prior to arrival and not during hospital stay
- 2. Antibiotic received within 24 hours prior to arrival
- or the day prior to arrival and during hospital stay. 3. Antibiotic received only during hospital stay (not
- prior to arrival)
- 4. Antibiotic not received or unable to determine from medical record documentation

ORALABX (SCIP)

Is there documentation that a combination of (oral Neomycin Sulfate + Erythromycin Base) OR (oral Neomycin Sulfate + Metronidazole) was administered the day prior to the day of surgery or within 24 hours prior to surgery?

- 1. Yes
- 2. No
- 95. Not applicable

BIONAME (SCIP)

Document the name of each antibiotic doses administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for CABG or Other Cardiac Surgery).

BIOROUTE (SCIP)

Enter the route of administration of each antibiotic dose that was administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for **CABG or Other Cardiac Surgery**).

- 1. PO, NG, PEG tube (Oral)
- 2. IV (Intravenous, perfusion)
- 3. IM (Intramuscular)
- 99. UTD (Unable to determine route)

