


Global 2g15 - TOB40 - Tobacco Use Treatment Provided or Offered at Discharge (TOB-3)



prescribed at discharge?

- 1. A prescription for an FDA-approved tobacco cessation medication was given to the patient at discharge.
- 3. The patient's residence is not in the USA.
- 98. A prescription for an FDA-approved tobacco cessation medication was offered at discharge and the patient refused.

99. A prescription for an FDA-approved tobacco cessation medication was not offered at discharge or unable to determine from medical record documentation.

- What is the patient's tobacco use status documented within the first three days
- 1. The patient has smoked cigarettes daily on average in a volume of five or more cigarettes (>= 1/4 pack) per day AND/OR cigars daily AND/OR pipes
- 2. The patient has smoked cigarettes daily on average in a volume of four or less cigarettes (< 1/4 pack) per day AND/OR used smokeless tobacco AND/ OR smoked cigarettes but not daily AND/OR cigars but not daily AND/OR
- 3. The patient has not used any forms of tobacco in the past 30 days
- 97. The patient was not screened for tobacco use during the first three days of
- 99. The patient was not screened for tobacco use within the first three days of admission or unable to determine the patient's tobacco use status from

What was the patient's discharge disposition on the day of discharge?

-- Assisted Living Facilities (ALFs) - includes assisted living care at nursing

- -- Court/Law Enforcement includes detention facilities, jails, and prison
- -- Home -- includes board and care, domiciliary, foster or residential care, group

-- Outpatient Services including outpatient procedures at another hospital,

- -- General Inpatient and Respite, Residential and Skilled Facilities, and Other
- -- Nursing Home or Facility including Veteran's Administration Nursing Facility
- -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or
- Did the patient receive a referral for Outpatient Tobacco Cessation Counseling?
- 1. The referral to outpatient tobacco cessation counseling treatment was made by the healthcare provider prior to discharge.
- 2. Referral information was given to the patient at discharge but the appointment was not made by the provider prior to discharge.
- 4 The referral for outpatient tobacco cessation counseling treatment was not offered because the patient's residence is not in the USA.
- 98. Patient refused the referral for outpatient tobacco cessation counseling treatment and the referral was not made.

99. The referral for outpatient tobacco cessation counseling treatment was not offered at discharge or unable to determine from the medical record documentation.

