

LDLCALC (Shared)

How was the LDL value measured?

2. no

- 2. calculated
- 3. triglycerides too high to obtain valid LDL-C 95. not applicable

LDLDT (Shared)

Enter the date the most recent LDL value in mg/dL or mg/100ml was obtained (or attempt to measure LDL).

PREVLDL (Shared)


During the timeframe from (computer to display date = stdybeg - 1 year) to (computer to display Idldt - 1 day), was a LDL in mg/dL or mg/100mg obtained?


(Disregard any report that does not include an actual LDL value.)


Pg 3

- 1. Yes
- 2. No

LDLCLVL2 (Shared) Enter the value of the LDL-C measured on this date.







ADNEWSTA (Shared)

On (display LSTLDLDT) until (display LSTDLDT + 90 days and <= REVDTE), was a new statin medication added??

- 1. Yes
- 2. No

CHGSTATN (Shared)


On (display LSTLDLDT) until (display LSTDLDT + 90 days and <= REVDTE), was the daily dose of the statin medication changed?


- 1. Yes
- 2. No

CHGSTADOS (Shared)

Enter the new daily dose of the statin medication in milligrams.

- If the first change made to the statin dose was discontinuation of the statin, enter 00.0.
- If the dose is unable to be determined, enter default zz.z





DESNEWSTA (Shared)

Designate the statin medication that was newly prescribed during the 90 days after the most recent LDL was obtained?

- 1. Atorvastatin
- 2. Fluvastatin
- 3. Lovastatin
- 4. Pravastatin
- 5. Rosuvastatin
- 6. Simvastatin
- 7. Pitavastatin
- 99. Unable to determine

NEWSTADOS (Shared)

Enter the new dose of the statin agent in milligrams.

NEWSTADT (Shared)

Enter the date the new statin medication was prescribed.