
## HBPC 4q15 - HC26 - HC - Outpt - Patients with cog dyfx trigger assess and f/u within 30 days of admission



## Pg 2 ASESCOG (HBPC) ASESCOG Was the patient's cognitive function assessed using a NOT = 1, 2, 98► standardized and published tool? (For patients admitted to HBPC less than or equal to 1 year, HBPC clinician documentation in HBPC preadmission/admission note of assessment of cognitive 1, 98 function within 30 days prior to HBPC admission is acceptable.) 1. Yes 2. No ASESCOG EXCLUDED - 98 98. Patient refused assessment of cognitive function COGDT (HBPC) Enter the date of the most recent assessment of cognitive function using a standardized and published tool. (For patients admitted to HBPC less than or equal to 1 year, HBPC clinician documentation in HBPC pre-Missing or COGDT admission/admission note of assessment of cognitive Invalid function within 30 days prior to HBPC admission is acceptable.) COGOUT (HBPC) Valid Date Is the outcome of the cognitive assessment documented in the medical record? Calculate 1. yes 30 COGDT - ADMISDT 2. no <= 30 IMPAIR (HBPC) Did the assessment outcome indicate any degree of cognitive impairment for this patient? 1. yes COGOUT 2. no ADDFOLO (HBPC) During the timeframe from (computer to display cogdt to cogdt + 30 days and < stdyend), did the HBPC clinician document a plan for follow-up of the positive cognitive assessment? 1. yes EXCLUDED IMPAIR 2. no

NOT = 1 or 2-NOT = 1 or 2-In Denominator only ADDFOLO NOT = 1 or 2-(fails indicator) FAIL In Denominator and Numerator (passes indicator)

MDE