

CGPI 3q16 - SA17 - SUD - Outpt - Pts scrn f/ alcohol misuse w/ score GE 5 w/ timely counsel (NEXUS_WT)





SCRNAUDC (MH)

Within the past year, was the patient screened for alcohol misuse with the AUDIT-C? 1. Yes 2. No

DTALSCRN (MH)

Enter the <u>most recent date</u> of screening for alcohol misuse with the AUDIT-C.

ALCTXPY2 (MH)

Within the year prior to the most recent alcohol screening with AUDIT-C, did the patient participate in a recovery program for alcohol abuse or dependence?
5. Yes, in VHA
6. Yes, but <u>not</u> in VHA (includes AA)
99. No or unable to determine

INRECVDT(MH)

Enter the date of the patient's most recent participation in a recovery program for alcohol abuse or dependence in the year prior to alcohol screening.

SUDCLIN (MH)

Within 90 days prior to the most recent alcohol screening
with AUDIT-C, was the patient seen in any of the
following VHA substance use disorders (SUD) clinics?
Indicate all that apply:
SUDCLIN1. 513 SUD-Individual
SUDCLIN2. 514 SUD-Home
SUDCLIN3. 519 SUD-PTSD
SUDCLIN4. 547 Intensive-SUD Treatment
SUDCLIN5. 523 Opioid Substitution
SUDCLIN6. 560 SUD-Group
SUDCLIN7. 545 SUD-Telephone
SUDCLIN8. 548 Intensive-SUD-Individual
SUDCLIN95. Not applicable
SUDCLIN99. None of the above
1 100

-1 = Yes

0 = No

