


**REVSTAT**  
REVIEW STATUS (not abstracted)  
0. Abstraction has not begun  
1. Abstraction in progress  
2. Abstraction completed w/o errors  
3. TVG failure (exclusion)  
4. Record contains missing required answers (error record)  
5. Administrative exclusion from all measures


**AGE** - calculated field  
ADMDT - Patient date of birth

**DCDATE** (STK)  
Discharge Date

**ADMDT** (STK)  
Admission date

**PRINCODE** (STK)  
ICD-10-CM principal diagnosis code





**EDPT (STK)**  
Did the patient receive care/services in the **Emergency Department of this VAMC?**  
1. Yes  
2. No


**CLNTRIAL (STK)**  
During this hospital stay, was the patient enrolled in a clinical trial in which patients with stroke were being studied?  
1. Yes  
2. No


**ECARINTV (STK)**  
Is there documentation that this admission was for the sole purpose of performance of an elective carotid intervention procedure (e.g., elective carotid endarterectomy, carotid angioplasty, carotid stenting)?  
1. Yes  
2. No

**ARRVDAT (STK)**  
Enter the **earliest** documented date the patient arrived at acute care at this VAMC.

**ARRVTIME (STK)**  
Enter the **earliest** documented time the patient arrived at acute care at this VAMC.

**LSTKNWL (STK)**  
Is there documentation that the date AND time of last known well was witnessed or reported?  
1. Yes  
2. No





**EXTPATM (STK)**  
Is there documentation on the day of or day after hospital arrival of a reason for extending the initiation of IV thrombolytics to 3 to 4.5 hours from Time Last Known Well?

**Reasons for extending the initiation of IV thrombolytic to 3 to 4.5 hours:**

- Documentation of treatment to lower blood pressure, (e.g., nicardipine, hydralazine, prior to IV thrombolytic initiation
- Documentation of patient/family refusal of IV thrombolytic which was recanted/reversed prior to IV thrombolytic initiation
- Documentation of cardiac arrest, respiratory arrest, cardiopulmonary resuscitation, defibrillation, or intubation in the emergency department prior to IV thrombolytic initiation
- Other reasons documented by physician/APN/PA or pharmacist

1. Yes  
2. No  
95. Not applicable