


COMFORT (VTE)

When is the earliest physician, APN, or PA documentation of comfort measures only?

- 1. Day of arrival (day 0) or day after arrival (day 1)
- 2. Two or more days after arrival (day 2 or greater)
- 3. Comfort measures only documented during hospital stay, but timing unclear
- 99. Comfort measures only was not documented by the physician/APN/PAor unable to determine

CLNTRIAL (VTE)

During this hospital stay, was the patient enrolled in a clinical trial in which patients with venous thromboembolism (VTE) were being studied?



DCDISPO (VTE)

What was the patient's discharge disposition on the day of discharge?

- 1. Home
- -- Assisted Living Facilities (ALFs) includes assisted living care at nursing home/facility
- -- Court/Law Enforcement includes detention facilities, jails, and prison
- -- Home includes board and care, domiciliary, foster or residential care, group or personal care homes, retirement facilities and homeless shelters
- -- Home with Home Health Services
- -- Outpatient Services including outpatient procedures at another hospital, outpatient Chemical Dependency Programs and Partial Hospitalization
- 2. Hospice Home (or other home setting as listed in #1 above)
- 3. Hospice Health Care Facility
- -- General Inpatient and Respite, Residential and Skilled Facilities, and Other Health Care Facilities
- 4. Acute Care Facility
- -- Acute Short Term General and Critical Access Hospitals
- -- Cancer and Children's Hospitals
- -- Department of Defense and Veteran's Administration Hospitals
- 5. Other Health Care Facility
- -- Extended or Immediate Care Facility (ECF/ICF)
- -- Long Term Acute Care Hospital (LTACH)
- -- Nursing Home or Facility including Veteran's Administration Nursing Facility
- -- Psychiatric Hospital or Psychiatric Unit of a Hospital
- -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
- -- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed
- -- Transitional Care Unit (TCU)
- -- Veteran's Home
- 6. Expired
- 7. Left Against Medical Advice/AMA
- 99. Not documented or unable to determine

VTETEST (VTE)

Is there documentation that a diagnostic test for VTE was performed within four days prior to arrival or anytime during the hospitalization?

VTE Diagnostic testing includes the following (ALL Inclusive):

- -- Compression Ultrasound/Vascular Ultrasound/Duplex ultrasound (DUS)/Venous Doppler of lower extremities
- -- Computed tomography (CT) of thorax (chest), abdomen/pelvis, or lower extremity leg veins with contrast
- -- Magnetic resonance imaging (MRI or MRV) of the thorax(chest), abdomen/pelvis, or lower extremity leg veins
- -- Nuclear Medicine Pulmonary Scan/ventilation/perfusion (V/Q) lung scan
- -- Pulmonary arteriography/angiography/angiogram
- -- Venography/Venogram of pelvic, femoral or other lower extremity veins using contrast material
- 1. Yes
- 2. No

POSVTE (VTE)

Is there physician/APN/PA documentation that the VTE Diagnostic Test confirmed a diagnosis of VTE in one of the defined locations within four calendar days prior to arrival, or anytime during hospitalization?

VTE Confirmed in Defined Locations:

- Pulmonary Emboli (PE)
- Deep Vein Thrombosis (DVT) located in common femoral vein; Common Iliac; External iliac vein; Femoral/superficial femoral vein; inferior vena cava (IVC); Internal iliac, popliteal vein; Profunda/deep femoral vein.
- 2. No or unable to determine from medical record documentation

COMFORT Missing-1. 2. 3 99 Missing-**CLNTRIAL DCDISPO** Missing-2. 3. 4. 6. 7 1, 5, 99 **VTETEST** Missing-**POSVTE** Missing Type X Missing WARFADM **EXCLUDED** Pg 3

Pg 2

WARFADM (VTE)

Is there documentation that warfarin was administered any time after the VTE diagnostic test?

- 1. Yes
- 2. No

