

CATNUM

Sample category
 16. AMI - Outpatient visit
 36. SCI Dx
 48. Female, age 20-69
 50. Random Sample
 51. Random Sample MH
 54. Frail/Elderly
 60. DM Outpatient
 61. Inpatient SC
 68. Contract CBOC

FEFLAG (rcvd on pull list)

FE case flagged for CGPI review / scoring?
 0. No
 1. Yes

REVSTAT

REVIEW STATUS (not abstracted)

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers (error record)
- 5. Administrative exclusion from all measures

DOCHOSPCE (PI module)

Is one of the following documented in the medical record:

- the patient is enrolled in a VHA or community-based Hospice program
- the patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- on the problem list it is documented the patient's life expectancy is less than 6 months?

- 1. Yes
- 2. No

DEMENTDX2 (MH)

During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following:

ICD-9-CM codes (Prior to 10/01/15):

046.11, 046.19, 046.3, 290.0, 290.10, 290.11, 290.12, 290.13, 290.20, 290.21, 290.3, 290.40, 290.41, 290.42, 290.43, 291.2, 292.82, 294.10, 294.11, 294.8, 331.0, 331.11, 331.19, 331.2, 331.7, 331.82, 331.89, 331.9, 333.0 or 333.4

ICD-10-CM codes (On or after 10/01/15):

A8100, A8101, A8109, A812, A8189, A819, Primary I60xx – I69xx + Secondary F0150 or F0151, F0390, F0391, any Primary xxx.xx + Secondary F0280 or F0281, F0390, F0391, F1027, F1997, G231, G300, G301, G308, G309, G3101, G3109, G3183, G903

- 1. Yes
- 2. No

DEMSEV (MH)


Was the severity of dementia assessed during the past year using one of the following standardized tools?

- 1. Clinical Dementia Rating Scale (CDR)
- 2. Functional Assessment Staging Tool (FAST)
- 3. Global Deterioration Scale (GDS)
- 99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2 (MH)

What was the outcome of the assessment of the severity of dementia assessment?

- 4. Score indicated mild dementia
- 5. Score indicated moderate to severe dementia
- 6. Score indicated no dementia
- 99. No score documented in the record or unable to determine outcome



PTSDX (MH)

Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following:

ICD-9-CM code (prior to 10/01/15): **309.81**

ICD-10-CM code (on or after 10/01/15): **F431, F4310, F4312**

1. Yes
2. No

PTSRNPC (MH)

Within the past five years, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?

1. Yes
2. No

PCPTSDT (MH)

Enter the date of the most recent screen for PTSD using the PC-PTSD.

PCPTSD (MH)

Enter the patient's answers to each of the Primary Care PTSD Screen questions:

Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you: **PCPTSD1**. Have had any nightmares about it or thought about it when you did not want to?

PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?

PCPTSD3. Were constantly on guard, watchful, or easily startled?

PCPTSD4. Felt numb or detached from others, activities, or your surroundings?

1. Yes
2. No
95. Not applicable
99. No answer documented

SCORINTRP (MH)

Enter the interpretation of the score, as documented in the medical record.

1. Positive
2. Negative
95. Not applicable
99. No interpretation documented

PCPTSDT (MH)

Enter the date of the most recent screen for PTSD using the PC-PTSD.

STDYBEG

(Rcvd on Pull List)
Study Interval begin date

PTSDSCOR (MH)

Enter the total score for the screen documented in the record. (Abstractor can enter default z if no total score is documented)

NONE = Missing
and ANY = 1

Calculate sum of
PCPTSD1 + PCPTSD2 + PCPTSD3 + PCPTSD4
(include only those with values of 1)

≥ 3

B

EXCLUDED

2

1, 99

Pg 3

ANY =
Missing

MDE

EXCLUDED

2, 99

SCORINTRP

Missing

MDE

ALL = 2, 99

PCPTSD1
PCPTSD2
PCPTSD3
PCPTSD4

< 3
or z

PTSDSCOR

≥ 3

B

Calculate
STDYBEG - PCPTSDT

> 365

Valid Date

Valid Date

Invalid or
Missing

MDE

Missing

PCPTSDT

$\geq 10/01/08$

Missing

PCPTSDT

Invalid or
Missing

STDYBEG

Invalid or
Missing

MDE

PCPTSDT

Missing

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

EXCLUDED

PTSDEVAL (MH)

Following the positive PC-PTSD screen, did the provider document the patient needed further intervention for PTSD?

1. Yes, documented further intervention needed
2. Documented no further intervention needed
99. No documentation regarding further intervention

NOPTSINT (MH)

Did the provider document the patient refused further evaluation/treatment for PTSD?

1. Yes
2. No

PTSDCARE (MH)

Did the provider document the patient was already receiving recommended care for PTSD?

1. Yes
2. No

OUTPTSD (MH)

Did the provider document the patient was to receive care for PTSD outside this VA?

1. Yes
2. No

PTSDMHEVL (MH)

Following the positive PC-PTSD screen, did the provider document that the patient needed a mental health evaluation?

1. Yes, mental health evaluation needed
2. No mental health evaluation needed
99. No documentation regarding mental health evaluation

PCPTSDFO (MH)

Did the provider document that the patient will follow-up with a primary care provider for the positive PC-PTSD screen?

1. Yes
2. No
95. Not applicable

PTSDURG (MH)

Following the positive PTSD screen, did the provider document the urgency of the mental health evaluation?

1. Immediate/emergent mental health evaluation needed
2. Urgent mental health evaluation needed
3. Non-urgent mental health evaluation needed
99. No documentation of urgency of care

PTSCONDT (MH)

Enter the date the licensed independent provider documented that contact information was provided to the patient.

PTSDMHDT (MH)

Enter the date the patient was emergently transferred to mental health care services.

REFPTSDT (MH)

Enter the date the mental health consult was placed.

