## **Document Links:**

**HBPC Instrument** 

## **CATNUM**

Sample cohort

HBPC - Home Based Primary Care

#### **REVSTAT**

**REVIEW STATUS (not abstracted)** 

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers
- 5. Administrative Exclusion

#### **DOCHOSPCE**

Is one of the following documented in the medical record?

- The patient is enrolled in a VHA or community-based Hospice program
- The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months?
- 1. Yes
- 2. No

## **DEMENTDX2** (HBPC)

During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A8100, A8101, A8109, A812, A8189, A819, Primary I60xx – I69xx + Secondary F0150 or F0151, F0390, F0391, any Primary xxx.xx + Secondary F0280 or F0281, F0390. F0391, F1027, F1997, G231, G300, G301, G308, G309, G3101, G3109, G3183, G903

- 1. Yes
- 2. No

#### DEMSEV (HBPC)

Was the severity of dementia assessed during the past year using one of the following standardized tools?

- 1. Clinical Dementia Rating Scale (CDR)
- 2. Functional Assessment Staging Tool (FAST)
- 3. Global Deterioration Scale (GDS)
- 99. Severity of dementia was not assessed during the past year using one of the specified tools

## COGSCOR2 (HBPC)


What was the outcome of the assessment of the severity of dementia assessment?


- 4. Score indicated mild dementia
- Score indicated moderate to severe dementia
- 6. Score indicated no dementia
- 99. No score documented in the record or unable to determine outcome

## MODSEVCI (HBPC)

During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?

- 1. Yes
- 2. No





## **DEPTXYR** (HBPC)

Within the past year, did the patient have at least one clinical encounter where depression was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F32, F320 - F325, F328, F329, F33, F330, F331, F332, F333, F334, F3340, F3341, F3342, F339, F341, F338, F0631, F0632

- 1. Yes
- 2. No

#### **BPDXYR** (HBPC)

Within the past year, did the patient have at least one clinical encounter where bipolar disorder was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F30, F301, F3010 - F3013, F302 - F304, F308, F309, F31, F310, F311, F3110 - F3113, F312, F313, F3130 - F3132, F314 - F316, F3160 - F3164, F317, F3170 - F3178, F318, F3181, F3189, F319

- 1. Yes
- 2. No


## PHQ2DT (HBPC)

Enter the date within the past year of the <u>most recent</u> screening for depression by the PHQ-2 or PHQ-9.

## SCRNPHQ (HBPC)

On the date of the most recent screening for depression, was the patient screened by the PHQ-2 or the PHQ-9?

- 2. Screened by PHQ-2
- 3. Screened by PHQ-9
- 4. Screened by PHQ-2 AND PHQ-9 on the same date



## PH2SCOR (JBPC)

Enter the score for PHQ-2 Question 2 documented in the record:

(Question #2 of the PHQ-9 is PHQ-2 question #2 and should be used if available).

# Over the past 2 weeks, have you been bothered by feeling down, depressed, or hopeless?

- 0. Not at all  $\rightarrow$  0
- 1. Several days  $\rightarrow$  1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

#### PHQTOTAL (HBPC)

Enter the <u>total score</u> for the **PHQ-2** documented in the medical record.

## OUTCOME3 (HBPC)

What was the outcome of the PHQ-2 documented in the record?

- 1. Outcome positive (suggestive of depression)
- 2. Outcome negative (no indication of depression)
- 99. Outcome not documented

