

## **DEPTXYR** (MH)

Within the past year, did the patient have at least one clinical encounter where depression was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F32, F320 - F325, F328, F329, F33, F330, F331, F332, F333, F334, F3340, F3341, F3342, F339, F341, F338, F0631, F0632

- 1. Yes
- 2. No

# BPDXYR (MH)

Within the past year, did the patient have at least one clinical encounter where bipolar disorder was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F30, F301, F3010 - F3013, F302 - F304, F308, F309, F31, F310, F311, F3110 - F3113, F312, F313, F3130 - F3132, F314 - F316, F3160 - F3164, F317, F3170 - F3178, F318, F3181, F3189, F319

- 1. Yes
- 2. No


#### PHQ2DT (MH)


Enter the date within the past year of the <u>most recent</u> screening for depression by the PHQ-2 or PHQ-9.

## SCRNPHQ (MH)

On the date of the most recent screening for depression, was the patient screened by the PHQ-2 or the PHQ-9?

- 2. Screened by PHQ-2
- 3. Screened by PHQ-9
- 4. Screened by PHQ-2 AND PHQ-9 on the same date





#### PH2SCOR (MH)

1.

2.

3.

Enter the score for PHQ-2 Question 2 documented in the record: Over the past 2 weeks, have you been bothered by feeling down, depressed, or hopeless?

- 0. Not at all --> 0
- Several days --> 1
- More than half the days --> 2
- 3. Nearly every day --> 3
- 95. Not applicable
- 99. No answer documented

Enter the total score for the PHQ-2 documented in the medical record.

# OUTCOME3 (MH)

What was the outcome of the PHQ-2 documented in the record?

- 1. Outcome positive (suggestive of depression)
- 2. Outcome negative (no indication of depression)
- 99. Outcome not documented

