

### **CLNTRIAL** (VTE)

During this hospital stay, was the patient enrolled in a clinical trial in which patients with venous thromboembolism (VTE) were being studied?

- 1. Yes
- 2. No

### VTETEST (VTE)

Is there documentation that a diagnostic test for VTE was performed within four days prior to arrival or anytime during the hospitalization?

### VTE Diagnostic testing includes the following (ALL Inclusive):

- Compression Ultrasound/Vascular Ultrasound/Duplex ultrasound (DUS)/ Venous Doppler of lower extremities
- Computed tomography (CT) Angiogram/Pulmonary Angiogram of Chest
- Computed tomography (CT) of thorax (chest), abdomen/pelvis, or lower extremity leg veins with IV contrast
- Magnetic resonance imaging (MRI or MRV) of the thorax(chest), abdomen/pelvis, or lower extremity leg veins
- Nuclear Medicine Pulmonary Scan/ventilation/perfusion (V/Q) lung scan
- Pulmonary arteriography/angiography/angiogram
- Venography/Venogram of pelvic, femoral or other lower extremity veins using IV contrast material
- 1. Yes
- 2. No

### POSVTE (VTE)

Is there physician/APN/PA documentation that the VTE Diagnostic Test confirmed a diagnosis of VTE <u>in one of the defined locations</u> within four calendar days prior to arrival, or anytime during hospitalization?


#### **VTE Confirmed in Defined Locations:**

- Pulmonary Emboli (PE)
- Deep Vein Thrombosis (DVT) located in common femoral vein; Common Iliac; External iliac vein; Femoral/superficial femoral vein; inferior vena cava (IVC); Internal iliac, popliteal vein; Profunda/deep femoral vein.
- 1. Yes
- 2. No or unable to determine from medical record documentation

#### DCDISPO (VTE)

What was the patient's discharge disposition on the day of discharge?

- Home
- Assisted Living Facilities (ALFs) includes assisted living care at nursing home/facility
- Court/Law Enforcement includes detention facilities, jails, and prison
- Home includes board and care, domiciliary, foster or residential care, group or personal care homes, retirement facilities and homeless shelters
- Home with Home Health Services
- Outpatient Services including outpatient procedures at another hospital, outpatient Chemical Dependency Programs and Partial Hospitalization
- 2. Hospice Home (or other home setting as listed in #1 above)
- 3. Hospice Health Care Facility
- General Inpatient and Respite, Residential and Skilled Facilities, and Other Health Care Facilities
- 4. Acute Care Facility
- Acute Short Term General and Critical Access Hospitals
- Cancer and Children's Hospitals
- Department of Defense and Veteran's Administration Hospitals
- 5. Other Health Care Facility
- Extended or Immediate Care Facility (ECF/ICF)
- Long Term Acute Care Hospital (LTACH)
- Nursing Home or Facility including Veteran's Administration Nursing Facility
- Psychiatric Hospital or Psychiatric Unit of a Hospital
- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed
- Transitional Care Unit (TCU)
- Veteran's Home
- 6. Expired
- 7. Left Against Medical Advice/AMA
- 99. Not documented or unable to determine



# WARFRXDC (VTE)

Is there documentation that warfarin was prescribed at discharge?

1. Yes

Pg 3

2. No

## PTEDCOM (VTE)

Did the WRITTEN discharge instructions or other educational material given to the patient/caregiver address **compliance issues related to warfarin therapy** prescribed after discharge?

## Must include BOTH of the following:

- -- The importance of taking warfarin as instructed; and
- -- The importance of monitoring warfarin with scheduled PT/INR blood draws.
- 1. Yes
- 2. No

### PTEDIET (VTE)

Did the WRITTEN discharge instructions or other educational material given to the patient/caregiver address **dietary advice related to warfarin therapy** prescribed after discharge?

### Must include BOTH of the following:

- -- A "consistent amount" of foods with Vitamin K rather than avoidance should be advised; and
- -- Avoid major changes in dietary habits, or notify health professional before changing habits.
- 1. Yes
- 2. No

### PTEDFOLO (VTE)

Did the WRITTEN discharge instructions or other educational material given to the patient/caregiver address follow-up monitoring related to warfarin therapy prescribed after discharge?

- 1. Yes
- 2. No

### PTEDADR (VTE)

Did the WRITTEN discharge instructions or other educational material given to the patient/caregiver address potential for adverse drug reactions and interactions related to warfarin therapy prescribed after discharge?

# Must include ALL of the following:

- -- Diet and medications can affect the PT/INR level;
- Do not take or discontinue any medication or overthe-counter medication except on the advice of the physician or pharmacist; and
- -- Warfarin increases the risk of bleeding.
- 1. Yes
- 2. No

