

# CSSRSCOR3 (MH)

Enter the score for C-SSRS Screener Question 3 documented in the record: (Time period designated, e.g. Over the past month) Have you been thinking about how you might do this? 1. Yes

2. No

95. Not applicable

99. Score not documented

#### CSSRSCOR4 (MH)

Enter the score for C-SSRS Screener Question 4 documented in the record: (Time period designated e.g., Over the past month) Have you had these thoughts and had some intention of acting on them?

- 1. Yes
- 2. No
- 99. Score not documented

### CSSRSCOR5 (MH)

Enter the score for C-SSRS Screener Question 5 documented in the record: (Time period designated e.g., Over the past month) Have you started to work out or worked out the details of how to kill yourself?

1.Yes

2.No

99. Score not documented

### CSSRSCOR8 (MH)


Enter the score for C-SSRS Screener Question 1 documented in the record: (Time period designated, e.g. Over the past month) Have you wished you were dead or wished you could go to sleep and not wake up?

- 1. Yes 2. No
- 99. Score not documented

#### OUTCOME4 (MH)

Enter the interpretation of the C-SSRS Screener as

- documented in the medical record.
- 1. Positive
- 2. Negative
- 99. No interpretation documented



information was or was not in question

1. Yes 2. No

etc.)

99. Acute risk not documented

#### PTSDX (MH)

Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

#### F431, F4310 - F4312

| 1 | • | Yes |
|---|---|-----|
|   |   |     |

2. No

### PTSRNPC (MH)

Within the past five years and prior to 10/01/2018, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?

- 1. Yes
- 2. No

### SCRPTSD5I9 (MH)

Within the past year, was the patient screened for PTSD using the Primary Care PTSD5 +I9?

- 1. Yes
- 2. No

98. Patient refused to complete PC-PTSD5 +I9

### PTSDI9SCOR (MH)

Enter the score for the Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5 + I9 screen) documented in the record:

Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?

- 0. Not at all  $\rightarrow 0$
- 1. Several days  $\rightarrow$  1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

### PTSDI9OUT (MH)


Enter the interpretation of the Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5- +19 screen) as documented in the medical record.

- 1. Positive
- 2. Negative
- 99. No interpretation documented


# PTSDCSSRS (MH)

On (computer to display pcptsd5dt), the day of the positive Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5- +19 screen), did the acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener?

- 1. Yes
- 2. No
- 98. Patient refused to complete the C-SSRS Screener



# CGPI 1q19 - CSRA2 - MH - Evidence of Clinical Impression of Acute Risk on VA CSRA (NEXUS\_WT)



PTSCSRSCOR3 (MH) Enter the score for C-SSRS Screener Question 3 documented in the record: (Time period designated, e.g. Over the past month) Have you been thinking about how you might do this? 1. Yes 2. No 95. Not applicable 99. Score not documented PTSCSRSCOR4 (MH) Enter the score for C-SSRS Screener Question 4 documented

Enter the score for C-SSRS Screener Question 4 documented in the record: (Time period designated e.g., Over the past month) Have you had these thoughts and had some intention of acting on them? 1. Yes 2. No 99. Score not documented

# PTSCSRSCOR5 (MH)

Enter the score for C-SSRS Screener Question 5 documented in the record: (Time period designated e.g., Over the past month) Have you started to work out or worked out the details of how to kill yourself?

1.Yes 2.No

99. Score not documented

# PTSCSRSCOR8 (MH)

Enter the score for C-SSRS Screener Question 8 documented in the medical record: Was this within the past 3 months? 1. Yes

2. No


- 95. Not applicable
- 99. Score not documented

# OUTCOME5 (MH)

Enter the interpretation of the C-SSRS Screener as documented in the medical.

- 1. Positive
- 2. Negative

99. No interpretation documented



# PTSVACSRA (MH)

On (computer to display pcptsd5dt), the same calendar day as the positive C-SSRS Screener and positive Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5-+I9 screen), is there evidence of a signed Comprehensive Suicide Risk Evaluation (CSRE) in the record?

#### 1. Yes 2. No

98. Patient refused to complete CSRE

# PTSDCSRAACU (MH)

Enter the Clinical Impression of Acute Risk as documented in the medical record:

1. High Risk - (as evidenced by):

- 2. Intermediate Risk (as evidenced by):
- 3. Low Risk (as evidenced by):
- 99. Acute risk not documented

# REFCSRE2 (MH)

Was there documentation by the acceptable provider that the validity of the information contained within the CSRE was in question?

1. Yes, due to Veteran being under the influence (e.g., drugs, alcohol, etc.)

2. Yes, due to Veteran's medical condition (e.g., dementia, etc.)

3. Yes, due to Other (e.g., refusal)

 No (no checkbox indicates validity of the CSRE information was not in question)
No documentation whether the validity of the CSRE

information was or was not in question