


HBPC 2q19 - HC39 - Screened positive for depression w/timely SRE (HBPC)







PHQTOTAL (HBPC) Enter the <u>total score</u> for the **PHQ-2**

documented in the medical record.

OUTCOME3 (MH)

Enter the interpretation of the depression screen as documented in the medical record. 1. Positive

2. Negative

99. No interpretation documented


DEPRISK (HBPC)

On (computer to display phq2dt to phq2dt + one day), the day of or the day after the positive PHQ-2, did the provider document a suicide ideation/behavior evaluation? 1. Yes

2. No

DEPRSKDT (HBPC)

Enter the date of the suicide ideation/behavior evaluation.



PH9SCOR (MH)

Enter the score for item 9/question #3 of the PHQ-2 + 19 screen documented in the record: Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?

- 0. Not at all $\rightarrow 0$
- 1. Several days \rightarrow 1
- 2. More than half the days \rightarrow 2
- 3. Nearly every day \rightarrow 3
- 99. No answer documented

OUTCOMEI9 (MH)

Enter the interpretation of item 9/question #3 of the PHQ-2 +19 screen as documented in the medical record.

- 1. Positive
- 2. Negative

99. No interpretation documented

CSSRS (MH)

On (computer to display **phqi9dt**), the day of the positive **I 9**, did the acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener? 1. Yes

- 2. No
- 98. Patient refused to complete the C-SSRS screener