### **Document Links:**

**HBPC Instrument** 

#### **CATNUM**

Sample cohort

HBPC - Home Based Primary Care

#### **REVSTAT**

**REVIEW STATUS (not abstracted)** 

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers
- 5. Administrative Exclusion

#### **DOCHOSPCE**

Is one of the following documented in the medical record?

- The patient is enrolled in a VHA or community-based Hospice program
- The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months?
- 1. Yes
- 2. No

## **DEMENTDX2** (HBPC)

During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A8100, A8101, A8109, A812, A8182, A8189, A819, F0150, F0151, F0280, F0281, F0390, F0391, F1027, F1097, F1327, F1397, F1817, F1827, F1897, F1917, F1927, F1997, G231, G300, G301, G308, G309, G3101, G3109, G3183, G903

- 1. Yes
- 2. No

### **DEMSEV** (HBPC)

Was the severity of dementia assessed during the past year using one of the following standardized tools?

- 1. Clinical Dementia Rating Scale (CDR)
- 2. Functional Assessment Staging Tool (FAST)
- 3. Global Deterioration Scale (GDS)
- 99. Severity of dementia was not assessed during the past year using one of the specified tools

# COGSCOR2 (HBPC)


What was the outcome of the assessment of the severity of dementia assessment?

- 4. Score indicated mild dementia
- 5. Score indicated moderate to severe dementia
- 6. Score indicated no dementia
- 99. No score documented in the record or unable to determine outcome

# MODSEVCI (HBPC)

During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?

- 1. Yes
- 2. No



### **DEPTXYR** (HBPC)

Within the past year, did the patient have at least one clinical encounter where depression was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F0151, F320 - F325, F328, F3281, F3289, F329 - F333, F3342, F339, F341, F4321, F4323

- 1. Yes
- 2. No

## **BPDXYR** (HBPC)

Within the past year, did the patient have at least one clinical encounter where bipolar disorder was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F3010 - F3013, F302 - F304, F308 - F310, F3110 - F3113, F312, F3130 - F3132, F314, F315, F3160 - F3164, F3170 - F3178, F3181, F3189, F319

- 1. Yes
- 2. No

#### SCRPHQI9 (HBPC)

During the past year was the patient screened for depression by the PHQ-2 + I9?

- 1. Yes
- 2. No
- 98. Patient refused depression screening by the PHQ-2 + I9

### PH9SCOR (HBPC)

Enter the score for Primary Suicide Risk Screen (item 9/ question #3 of the PHQ-2 + I9 screen) documented in the record:


Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?


- 0. Not at all  $\rightarrow$  0
- 1. Several days → 1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day → 3
- 99. No answer documented

# OUTCOMEI9 (HBPC)

Enter the interpretation of the Primary Suicide Risk Screen (item 9/question #3 of the PHQ-2 +19 screen) as documented in the medical record.

- 1. Positive
- 2. Negative
- 99. No interpretation documented





### CSSRS (HBPC)

On (computer to display phqi9dt), the day of the positive Primary Suicide Risk Screen (item 9/question #3 of the PHQ-2 +I9 screen), did the acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener?

- 1. Yes
- 2. No
- 98. Patient refused to complete the C-SSRS Screener

### CSSRSCOR1 (HBPC)

Enter the score for C-SSRS Screener Question 1 documented in the record: (Time period designated, e.g. Over the past month) Have you wished you were dead or wished you could go to sleep and not wake up?

- 1. Yes
- 2. No
- 99. Score not documented

#### CSSRSCOR2 (HBPC)

Enter the score for C-SSRS Screener Question 2 documented in the record: (Time period designated, e.g. Over the past month) Have you had any actual thoughts of killing yourself?

- 1. Yes
- 2. No
- 99. Score not documented

#### CSSRSCOR3 (HBPC)

Enter the score for C-SSRS Screener Question 3 documented in the record: (Time period designated, e.g. Over the past month) Have you been thinking about how you might do this?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented

#### CSSRSCOR4 (HBPC)

Enter the score for C-SSRS Screener Question 4 documented in the record: (Time period designated e.g., Over the past month) Have you had these thoughts and had some intention of acting on them?

- 1. Yes
- 2. No
- 99. Score not documented

# CSSRSCOR5 (HBPC)


Enter the score for C-SSRS Screener Question 5 documented in the record: (Time period designated e.g., Over the past month) Have you started to work out or worked out the details of how to kill yourself?

- 1.Yes
- 2.No
- 99. Score not documented

#### CSSRSCOR6 (HBPC)

Enter the score for C-SSRS Screener Question 6 documented in the record: Do you intend to carry out this plan?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented



### CSSRSCOR7 (HBPC)

Enter the score for C-SSRS Screener Question 7 documented in the record: In your lifetime, have you ever done anything, started to do anything, or prepared to do anything to end your life?

- 1. Yes
- 2. No
- 99. Score not documented

# CSSRSCOR8 (HBPC)

Enter the score for C-SSRS Screener Question 8 documented in the medical record: Was this within the past 3 months?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented

### PTSDX (HBPC)

Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

#### F431, F4310 - F4312

- 1. Yes
- 2. No

#### SCRPTSD5I9 (HBPC)

During the past year was the patient screened for PTSD using the Primary Care PTSD5 +19?

- 1. Yes
- 2. No

98. Patient refused screening by the PC-PTSD5 +I9

#### PTSDI9SCOR (HBPC)

Enter the score for the Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5 + I9 screen) documented in the record:

Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?

- 0. Not at all  $\rightarrow$  0
- 1. Several days → 1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

### PTSDI9OUT (HBPC)


Enter the interpretation of the Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5- +19 screen) as documented in the medical record.


- 1. Positive
- 2. Negative
- 99. No interpretation documented

### PTSDCSSRS (HBPC)

On (computer to display pcptsd5dt), the day of the positive Primary Suicide Risk Screen (item 9/question #6 of the PC-PTSD5- +19 screen), did the acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener?

- 1. Yes
- 2. No
- 98. Patient refused to complete the C-SSRS Screener





#### PTSCSRSCOR1 (HBPC)

Enter the score for C-SSRS Screener Question 1 documented in the record: (Time period designated, e.g. Over the past month) Have you wished you were dead or wished you could go to sleep and not wake up?

- 1. Yes
- 2. No
- 99. Score not documented

#### PTSCSRSCOR2 (HBPC)

Enter the score for C-SSRS Screener Question 2 documented in the record: (Time period designated, e.g. Over the past month) Have you had any actual thoughts of killing yourself?

- 1. Yes
- 2. No
- 99. Score not documented

# PTSCSRSCOR3 (HBPC)

Enter the score for C-SSRS Screener Question 3 documented in the record: (Time period designated, e.g. Over the past month) Have you been thinking about how you might do this?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented

# PTSCSRSCOR4 (HBPC)

Enter the score for C-SSRS Screener Question 4 documented in the record: (Time period designated e.g., Over the past month) Have you had these thoughts and had some intention of acting on them?

- 1. Yes
- 2. No
- 99. Score not documented

#### PTSCSRSCOR5 (HBPC)


Enter the score for C-SSRS Screener Question 5 documented in the record: (Time period designated e.g., Over the past month) Have you started to work out or worked out the details of how to kill yourself?

- 1.Yes
- 2.No
- 99. Score not documented

### PTSCSRSCOR6 (HBPC)

Enter the score for C-SSRS Screener Question 6 documented in the record: Do you intend to carry out this plan?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented



# PTSCSRSCOR7 (HBPC)

Enter the score for C-SSRS Screener Question 7 documented in the record: In your lifetime, have you ever done anything, started to do anything, or prepared to do anything to end your life?

- 1. Yes
- 2. No
- 99. Score not documented

### PTSCSRSCOR8 (HBPC)

Enter the score for C-SSRS Screener Question 8 documented in the medical record: Was this within the past 3 months?

- 1. Yes
- 2. No
- 95. Not applicable
- 99. Score not documented