



### **DEPTXYR** (MH)

Within the past year, did the patient have at least one clinical encounter where depression was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F01.51, F32.0 - F32.5, F32.81, F32.89, F32.9- F33.3, F33.42, F33.9, F34.1, F43.21, F43.23

- 1. Yes
- 2. No

## **BPDXYR** (MH)

Within the past year, did the patient have at least one clinical encounter where bipolar disorder was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F3010 - F3013, F302 - F304, F308 - F310, F3110 - F3113, F312, F3130 - F3132, F314, F315, F3160 - F3164, F3170 - F3178, F3181, F3189, F319

- 1. Yes
- 2. No

# SCRPHQi9 (MH)

During the past year was the patient screened for depression by the PHQ-2 + I9?

- 1. Yes
- 2. No
- 98. Patient refused depression screening by the PHQ-2 + I9

## PHQI9DT (MH)

Enter the date within the past year of the <u>most recent</u> screening for depression by the PHQ-2 +I9.

## PHQ1SCOR (MH)

Enter the score for PHQ-2 Question 1 documented in the record:

# Over the past 2 weeks, have you been bothered by little interest or pleasure in doing things?

- 0. Not at all  $\rightarrow$  0
- 1. Several days → 1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

### PHQ2SCOR (MH)

Enter the score for PHQ-2 Question 2 documented in the record:

# Over the past 2 weeks, have you been bothered by feeling down, depressed, or hopeless?

- 0. Not at all  $\rightarrow$  0
- 1. Several days → 1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

#### PHQTOTAL (MH)

Enter the <u>total score</u> for the PHQ-2 questions documented in the medical record.

#### OUTCOME3 (MH)

Enter the interpretation of the depression screen as documented in the medical record.

- 1. Positive
- 2. Negative
- 99. No interpretation documented

### PH9SCOR (MH)

Enter the score for Primary Suicide Risk Screen (item 9/ question #3 of the PHQ-2 + I9 screen) documented in the record:

Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?

- 0. Not at all  $\rightarrow$  0
- 1. Several days → 1
- 2. More than half the days  $\rightarrow$  2
- 3. Nearly every day  $\rightarrow$  3
- 99. No answer documented

## OUTCOMEI9 (MH)

Enter the interpretation of the Primary Suicide Risk Screen (item 9/question #3 of the PHQ-2 +19 screen) as documented in the medical record.

- 1. Positive
- 2. Negative
- 99. No interpretation documented

