# HBIPS 1q20 - IPS1a - Admission Screening Overall Rate (HBIPS-1a)

Valid Date


Calculate

**PSYDCDT - PSYADMDT** 

> 3 and < 365

(>= 0 and <= 3)

or >= 365



TYPE X

< 0

# HBIPS 1q20 - IPS1a - Admission Screening Overall Rate (HBIPS-1a)

# PSYCARE

Did the patient receive care in an inpatient psychiatric care setting? 1. Yes

2. No

### STRENGTH

During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days], is there documentation in the medical record that the patient was screened for at least two patient strengths by a Psychiatrist, Psychologist, APN, PA, MSW, or RN?

1. Yes

2. No

X. Unable to complete admission screening (Documentation in the medical record that screening for patient strengths cannot be completed due to the patient's inability or unwillingness to answer screening questions within the first 3 days of psychiatric admission.)

#### TRAUMAHX (HBIPS)

During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days], is there documentation in the medical record that the patient was screened for a psychological trauma history by a Psychiatrist, Psychologist, APN, PA, MSW, or RN? 1. Yes

- 2. No
- X. Unable to complete admission screening (Documentation in the medical record that a screening for a psychological trauma history cannot be completed due to the patient's inability or unwillingness to answer screening questions within the first 3 days of psychiatric admission.)


### HARMOTHR (HBIPS)

During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days], is there documentation in the medical record that the patient was screened <u>for violence risk to others</u> <u>during the past 6 months</u> by a Psychiatrist, Psychologist, APN, PA, MSW, or RN?

1. Yes

2. No

X. Unable to complete admission screening (Documentation in the medical record that a screening for violence risk to others during the past 6 months cannot be completed due to the patient's inability or unwillingness to answer screening questions within the first 3 days of psychiatric admission.)



Pg 3 HARMSELF1 HARMSELF2 ANY = 1 ALL = 1 or 2 ALL = 1 or 2 ALL = 1 or 2 HARMSELF5 ALL = 1 or 2 ALL = 1 or 2 ANY = 2 HARMSELF5 ALL = 1 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 ALL = 1 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 ALL = 1 ALL = 2 HARMSELF6 ALL = 2 HARMSELF6 HARMSELF6 ALL = 2 HARMSELF6 HARMSELF6 ALL = 2 HARMSELF6 HARMSELF6 ALL = 2 HARMSELF6	TYPE X Missing Or 95 Or 95 SUIDEA SUIDEA Pg 4
HARMSELF1. (HBIPS) During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days, is there documentation in the medical record that the patient was screened for suicide ideation during the past 6 months by a Psychiatrist, Psychologist, APN, PA, MSW, or RN? 1. Yes 2. No	HARMSELF4. (HBIPS) During the timeframe from (computer to display psyadmdt to psyadmdt + 3 days), is there documentation by a Psychiatrist, Psychologist, APN, PA, MSW, or RN that screening for violence risk to self during the past 6 months cannot be completed due to the patient's inability or unwillingness to answer screening questions? 1. Yes 2. No 95. Not applicable
<b>SUIDEA</b> (HBIPS) Is there Psychiatrist, Psychologist, APN, PA, MSW, or RN documentation in the admission screening note for violence risk to self that suicide ideation was present during the past 6 months? 1. Yes 2. No 95. Not applicable	HARMSELF5. (HBIPS) During the timeframe from(computer to display psyadmdt to psyadmdt + 3 days), is there documentation in the medical record that the patient was screened for risk factors for suicide during the past 6 months by a Psychiatrist, Psychologist, APN, PA, MSW, or RN? 1. Yes
SUIPLAN (HBIPS) Is there Psychiatrist, Psychologist, APN, PA, MSW, or RN documentation in the admission screening note for violence risk to self that the patient was screened for plans/preparation and/or intent to act upon plans for suicide during the past 6 months? 1. Yes 2. No 95. Not applicable HARMSELF2. (HBIPS)	2. No HARMSELF6. (HBIPS) During the timeframe from (computer to display psyadmdt to psyadmdt + 3 days), is there documentation in the medical record that the patient was screened for protective factors for suicide during the past 6 months by a Psychiatrist, Psychologist, APN, PA, MSW, or RN? 1. Yes 2. No

# HARMSELF2. (HBIPS)

During the timeframe from (computer to display psyadmdt to psyadmdt + 3 days), is there documentation in the medical record that the patient was screened for suicidal behavior during the past 6 months by a Psychiatrist, Psychologist, APN, PA, MSW, or RN? 1. Yes

2. No

# ASSESSUD (HBIPS)

During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days], is there documentation in the medical record that the patient was screened for substance use during the past 12 months by a Psychiatrist, Psychologist, APN, PA, MSW, or RN?

#### 1. Yes

2. No

X. Unable to complete admission screening (Documentation in the medical record that a screening for substance use cannot be completed due to the patient's inability or unwillingness to answer screening questions within the first 3 days of psychiatric admission.)

#### DRUGUSE (HBIPS)

Does the substance use screen document that the patient used any substance during the past 12 months? 1. Yes

2. No

### DRUGTYPE (HBIPS)

Does the substance use screen document the type(s) of substance(s) used during the past 12 months? 1. Yes

2. No

#### DRUGAMT (HBIPS)

Does the substance use screen document the amount of substance(s) used during the past 12 months? 1. Yes

2. No

## DRUGFREQ (HBIPS)


Does the substance use screen document the frequency of substances used during the past 12 months? 1. Yes


2. No

### DRUGPROB (HBIPS)

Does the substance use screen document the patient was asked about any problems due to his/her substance use during the past 12 months?
3. Yes, the patient was asked about problems and reported there were problems
4. Yes, the patient was asked about problems and reported there were NO problems

99. The patient was not asked about problems or unable to determine from the medical record documentation





<b>PAUDITC</b> (HBIPS) During the timeframe from [computer to display psyadmdt to psyadmdt + 3 days], is there documentation in the medical record that the patient was screened for <u>alcohol use during the past 12 months</u> <u>using the AUDIT-C</u> by a Psychiatrist, Psychologist, APN, PA, MSW, or RN?	ALCTYPE (HBIPS) Does the alcohol use screen document the type(s) of alcohol the patient used during the past 12 months? 1. Yes 2. No
<ol> <li>Yes</li> <li>No</li> <li>Unable to complete admission screening (Documentation in the medical record that a screening for alcohol use cannot be completed due to the patient's inability or unwillingness to answer screening questions within the first 3 days of psychiatric admission.)</li> </ol>	<ul> <li>ALCPROB (HBIPS)</li> <li>Does the alcohol use screen document the patient was asked about any problems due to his/her alcohol use during the past 12 months?</li> <li>3. Yes, the patient was asked about problems and reported there were problems</li> <li>4. Yes, the patient was asked about problems and reported there were NO problems</li> <li>99. The patient was not asked about problems or unable to determine from the medical record documentation</li> </ul>
ALCSCOR (HBIPS) Enter the total AUDIT-C score documented.	