### **Document Links:**

**HBPC Instrument** 

#### CATNUM

Sample cohort

HBPC - Home Based Primary Care

#### **REVSTAT**

REVIEW STATUS (not abstracted)

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers
- 5. Administrative exclusion from all measures

#### **DOCHOSPCE**

Is one of the following documented in the medical record?

- · The patient is enrolled in a VHA or community-based Hospice program
- · The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months
- Yes
- 2. No

## **DEMENTDX2** (HBPC)

During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A81.00, A81.01, A81.09, A81.2, A81.82, A81.89, A81.9, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G23.1, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, G90.3

- 1. Yes
- 2. No

### **DEMSEV** (HBPC)

Was the severity of dementia assessed during the past year using one of the following standardized tools?

- 1. Clinical Dementia Rating Scale (CDR)
- Functional Assessment Staging Tool (FAST)
- Global Deterioration Scale (GDS)
- 99. Severity of dementia was not assessed during the past year using one of the specified tools

# COGSCOR2 (HBPC)


What was the outcome of the assessment of the severity of dementia assessment?


- 4. Score indicated mild dementia
- Score indicated moderate to severe dementia 5.
- Score indicated no dementia
- 99. No score documented in the record or unable to determine outcome

### MODSEVCI (HBPC)

During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment? 1. Yes

2. No





**STDYBEG** (rcvd on pull list) Study interval begin date

#### PTSDX (HBPC)

Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

#### F43.1, F43.10 - F43.12

- 1. Yes
- 2. No

# RECPTSDT (HBPC)

Enter the date within the past year of the most recent clinical encounter where PTSD was identified as a reason for the clinical encounter.

## PTSRNPC (HBPC)

Within the past five years and prior to 10/01/2018, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?

- 1. Yes
- 2. No

#### PCPTSDT (HBPC)

Enter the date of the  $\underline{\text{most recent screen}}$  for PTSD using the PC-PTSD.

# SCRPTSD5I9 (HBPC)

On or after 10/01/2018, was the patient screened for PTSD using the Primary Care PTSD5 +19?

- 1. Yes
- 2. No

98. Patient refused screening by the PC-PTSD5 +I9

### PCPTSD5DT (HBPC)

Enter the date of the <u>most recent screen</u> for PTSD using the PC-PTSD5+ I9.

