

GM 1q21 - TOB40 - Tobacco Use Treatment Provided or Offered at Discharge (TOB-3)



Global Measures Instrument CATNUM (rcvd on pull list) Sample cohort 70 = Global Measures **REVIEW STATUS (calculated)** 0. Abstraction has not begun 1. Abstraction in progress 2. Abstraction completed w/o errors 3. TVG failure (exclusion) 4. Record contains missing required answers (error record) 5. Administrative Exclusion **DCDT** (Global Measures) Discharge date (rcvd on pull list and may not be modified) ADMDT (Global Measures) BIRTHDT (Global Measures) Admission date: Patient date of birth AGE (Calculated) ADMDT - BIRTHDT **COMFORT** (Global Measures) When is the earliest physician, APN, or PA documentation of comfort measures only? 1. Day of arrival (day 0) or day after arrival (day 1) 2. Two or more days after arrival (day 2 or greater)

- 3. Comfort measures only documented during hospital stay, but timing unclear
- 99. Comfort measures only was not documented by the physician/APN/PA or unable to determine

GM 1q21 - TOB40 - Tobacco Use Treatment Provided or Offered at Discharge (TOB-3)




REFOPTOB (Global Measures)

Did the patient receive a referral (i.e. an appointment with date and time) for Outpatient Tobacco Cessation Counseling?

- 1. The referral (i.e. an appointment with date and time) to outpatient tobacco cessation counseling treatment was made by the healthcare provider/facility staff at any time prior to discharge.
- 2. Referral information was given to the patient at discharge but the appointment was not made by the provider/facility staff at any time prior to discharge.
- 4. The patient is:
 - being discharged to a residence outside the USA
 - released to a court hearing and does not return
 - being discharged to jail/law enforcement

98. Patient refused the referral for outpatient tobacco cessation counseling treatment and the referral was not made. 99. The referral for outpatient tobacco cessation counseling treatment was not offered at discharge or unable to determine from the medical record documentation.



TOBMEDC (Global Measures)

Was an FDA-approved tobacco cessation medication prescribed at discharge?

- 1. A prescription for an FDA-approved tobacco cessation medication was given to the patient at discharge.
- 3. The patient is:
 - being discharged to a residence outside the USA
 - released to a court hearing and does not return
 - being discharged to jail/law enforcement
- 98. A prescription for an FDA-approved tobacco cessation medication was offered at discharge and the patient refused.
 99. A prescription for an FDA-approved tobacco cessation medication was not offered at discharge or unable to determine from medical record documentation.

NOTOBRXDC (Global Measures)

Is there documentation of a reason for not prescribing one of the FDA-approved tobacco cessation medications at discharge?

- · Allergy to all of the FDA-approved tobacco cessation medications.
- Drug interaction (for all of the FDA-approved medications) with other drugs the patient is currently taking.
- Patient is pregnant
- · Other reasons documented by physician/APN/PA or pharmacist.
- 1. Yes
- 2. No