

Document Links:[HBPC Instrument](#)**COHORT**

69 – Home Based Primary Care

REVSTAT

REVIEW STATUS (not abstracted)

0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing data
5. Administrative exclusion from all measures

HOSPICE

During the past year is there documentation in the medical record the patient is enrolled in a VHA or community-based hospice program?

1. Yes
2. No

TERMILLIs one of the following documented in the medical record?

- The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months?

1. Yes
2. No


DEMENTDX2


During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A81.00, A81.01, A81.09, A81.2, A81.82, A81.89, A81.9, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G23.1, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, G90.3

1. Yes
2. No

**MDE = Missing or
Invalid Data Exclusion
(data error)**





STDYBEG (rcvd on pull list)
Study interval begin date

DEMSEV

Was the severity of dementia assessed during the past year using one of the following standardized tools?

1. Clinical Dementia Rating Scale (CDR)
2. Functional Assessment Staging Tool (FAST)
3. Global Deterioration Scale (GDS)
99. Severity of dementia was not assessed during the past year using one of the specified tools

MODSEVCI

During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?

1. Yes
2. No

COGSCOR2


What was the outcome of the assessment of the severity of dementia assessment?

4. Score indicated mild dementia
5. Score indicated moderate to severe dementia
6. Score indicated no dementia
99. No score documented in the record or unable to determine outcome

INCSEVCI

During the timeframe from (computer display demsevd + 1 day to stdyend), did a physician/ APN/PA or psychologist document in the record that the patient has moderate or severe cognitive impairment?

1. Yes
2. No

**PTSDX**

Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:
F43.1, F43.10 - F43.12

1. Yes
2. No

RECPTSDT

Enter the date within the past year of the most recent clinical encounter where PTSD was identified as a reason for the clinical encounter.

SCRPTSD5I9

On or after 9/01/2018, was the patient screened for PTSD using the Primary Care PTSD5 +I9?


1. Yes
2. No
98. Patient refused screening by the PC-PTSD5 +I9

PCPTSD5DT

Enter the date of the most recent screen for PTSD using the PC-PTSD5+ I9.

LEAVDUTY

Enter the patient's most recent date of separation from active military duty.

**PCPTSD5**


On or after 9/01/2018, was the patient screened for PTSD using the Primary Care PTSD5 (PC-PTSD5)?

1. Yes
2. No

98. Patient refused screening by the PC-PTSD5

PCPTSD5DT2

Enter the date of the most recent screen for PTSD using the PC-PTSD5.

**PTSRNPC**

Within the past five years and prior to 10/01/2018, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?


1. Yes
2. No

LEAVDUTY

Enter the patient's most recent date of separation from active military duty.

PCPTSDT

Enter the date of the most recent screen for PTSD using the PC-PTSD.

**PCPTSD**

Enter the patient's answers to each of the Primary Care PTSD Screen questions:
Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you:

PCPTSD1. Have had any nightmares about it or thought about it when you did not want to?

PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?

PCPTSD3. Were constantly on guard, watchful, or easily startled?

PCPTSD4. Felt numb or detached from others, activities, or your surroundings?

1. Yes


2. No

95. Not applicable

99. No answer documented

PTSDSCOR

Enter the total score for the screen documented in the record.
(Abstractor can enter default z if no total score is documented)

**TRAUMEVT**

Enter the response documented in the record for PC-PTSD5 exposure to traumatic event(s).

Sometimes things happen to people that are unusually or especially frightening, horrible, or traumatic. For example:

- a serious accident or fire
- a physical or sexual assault or abuse
- an earthquake or flood
- a war
- seeing someone be killed or seriously injured
- having a loved one die through homicide or suicide.

Have you ever experienced this kind of event?

1. Yes
2. No
99. Response not documented

Enter the patient's answers to each of the PC-PTSD5 Screen questions:

In the past month, have you:

SCRPTSD1. Had nightmares about the event(s) or thought about the event(s) when you did not want to?

SCRPTSD2. Tried hard not to think about the event(s) or went out of your way to avoid situations that remind you of the event(s)?

SCRPTSD3. Been constantly on guard, watchful, or easily startled?

SCRPTSD4. Felt numb or detached from people, activities, or your surroundings?

SCRPTSD5. Felt guilty or unable to stop blaming yourself or others for the event(s) or any problems the event(s) may have caused?

1. Yes
2. No
99. Response not documented

SCORPTSD5

Enter the total score for the PC-PTSD5 screen as documented in the record..

PTSD5OUT

Enter the interpretation of the PC-PTSD5 screen as documented in the medical record.

1. Positive
2. Negative
99. No interpretation documented