

Document Links:[HBPC Instrument](#)**COHORT**

69 – Home Based Primary Care

REVSTAT

REVIEW STATUS (not abstracted)

0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing data
5. Administrative exclusion from all measures

HOSPICE

During the past year is there documentation in the medical record the patient is enrolled in a VHA or community-based hospice program?

1. Yes
2. No

HBPCDT

Enter the date of the most recent home care encounter for this patient, occurring within the study interval.

TERMILLIs one of the following documented in the medical record?

- The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months?

1. Yes
2. No


DEMENTDX2


During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A81.00, A81.01, A81.09, A81.2, A81.82, A81.89, A81.9, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G23.1, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, G90.3

1. Yes
2. No

**MDE = Missing or
Invalid Data Exclusion
(data error)**



**DEMSEV**

Was the severity of dementia assessed during the past year using one of the following standardized tools?

1. Clinical Dementia Rating Scale (CDR)
2. Functional Assessment Staging Tool (FAST)
3. Global Deterioration Scale (GDS)
99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2

What was the outcome of the assessment of the severity of dementia assessment?

4. Score indicated mild dementia
5. Score indicated moderate to severe dementia
6. Score indicated no dementia
99. No score documented in the record or unable to determine outcome

INCSEVCI


During the timeframe from (computer display demsevd + 1 day to stdyend), did a physician/APN/PA or psychologist document in the record that the patient has moderate or severe cognitive impairment?

1. Yes
2. No

MODSEVCI

During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?

1. Yes
2. No

**VACSRE**

On (if vacssrs = 1, computer to display vacssrsdt; else display, During the past year), is there evidence of a signed Comprehensive Suicide Risk Evaluation (CSRE) in the record?

- 1. Yes
- 2. No
- 98. Patient refused to complete CSRE

CSREACU

Enter the Clinical Impression of Acute Risk as documented in the medical record:

- 1. High Risk - (as evidenced by):
- 2. Intermediate Risk – (as evidenced by):
- 3. Low Risk – (as evidenced by):
- 99. Acute risk not documented

CSRECHR

Enter the Clinical Impression of Chronic Risk as documented in the medical record:

- 1. High Risk - (as evidenced by):
- 2. Intermediate Risk – (as evidenced by):
- 3. Low Risk – (as evidenced by):
- 99. Chronic risk not documented

STDYBEG (Rcvd on Pull List)
Study Interval begin date


VACSSRS


During the past year, did an acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener?

- 1. Yes
- 2. No
- 98. Patient refused to complete the C-SSRS Screener

VACSSRSDT

Enter the most recent date the C-SSRS Screener was completed.





Please enter the course of action documented in the record from the following list of interventions.
General Strategies for Managing Risk in any setting (The provider may add additional comment/interventions as needed.)

Select all that apply:

CSREINT1. Alert Suicide Prevention Coordinator for consideration of a Patient Record Flag Category I High Risk for Suicide

CSREINT2. Complete or Update Veteran's Safety Plan

CSREINT3. Increased frequency of Suicide Risk Screening
[text box]

CSREINT4. Provide Lethal Means Safety Counseling (e.g., provision of gun locks)

CSREINT5. Obtain additional information from collateral sources
[Optional: comment]

CSREINT6. For prescribers only: Review of prescribed medications for risk for self-harm and/or new pharmacotherapy intervention to reduce suicide risk
[Optional: comment]

CSREINT7. Address barriers to treatment engagement by:
[text box]

CSREINT8. Address psychosocial needs by: [text box]

CSREINT9. Address medical conditions by: [text box]

CSREINT10. Consult/Referral to additional services and support:
[text box for options]

CSREINT11. Referral to evidence based psychotherapy

CSREINT12. Referral to psychiatry/medication assessment or management

CSREINT13. Referral to Chaplaincy/pastoral care

CSREINT14. Referral to vocational rehabilitation/occupational rehabilitation services

CSREINT15. Referral for PRRC and/or ICMHR services

CSREINT16. Referral for residential mental health services

CSREINT17. Other Consult submitted to: [text box for user to enter a name]

CSREINT18. Discussion with Veteran to continue to see assigned Primary Care Provider for medical care

CSREINT19. Discussion with Veteran regarding enhancement of a sense of purpose and meaning

CSREINT20. Educate Veteran on smartphone VA applications (e.g. Virtual Hope Box, PTSD Coach)

CSREINT21. Conduct medication reconciliation

CSREINT22. Involve family/support system in Veteran's care

CSREINT23. Provide Opioid Overdose Education and Naloxone Distribution (OEND)

CSREINT24. Provide resources/contacts for benefits information

CSREINT25. Provide Veteran with phone number for Veteran's Crisis Line: 1-800-273-8255 (press 1)

CSREINT26. Other/Comments: [text box]

CSREINT27. Obtain consultation from Suicide Risk Management Consultation Program on ways to address Veteran's risk by sending a request for consultation by email to: Email (Left Click and Allow)

CSREINT99. No interventions documented by the provider