Document Links:

HBPC Instrument

COHORT

69 - Home Based Primary Care

REVSTAT

REVIEW STATUS (not abstracted)

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing data
- 5. Administrative exclusion from all measures

HOSPICE

During the past year is there documentation in the medical record the patient is enrolled in a VHA or community-based hospice program?

- 1. Yes
- 2. No

TERMILL

Is one of the following documented in the medical record?

- The patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- On the problem list it is documented the patient's life expectancy is less than 6 months?
- 1. Yes
- 2. No

DEMENTDX2

During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:


A81.00, A81.01, A81.09, A81.2, A81.82, A81.89, A81.9, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G23.1, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, G90.3

- 1. Yes
- 2. No


PERMCI

During the past year, did a physician/APN/PA or psychologist document that the patient has probable permanent cognitive impairment using a Clinical Reminder?

- 1. Yes
- 2. No



MDE = Missing or Invalid Data Exclusion (data error)



DEMSEV

Was the severity of dementia assessed during the past year using one of the following standardized tools?

- 1. Clinical Dementia Rating Scale (CDR)
- 2. Functional Assessment Staging Tool (FAST)
- 3. Global Deterioration Scale (GDS)
- 99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2

What was the outcome of the assessment of the severity of dementia assessment?

- 4. Score indicated mild dementia
- 5. Score indicated moderate to severe dementia
- 6. Score indicated no dementia
- 99. No score documented in the record or unable to determine outcome

During the timeframe from (computer display demsevdt + 1 day to stdyend), did a physician/APN/PA or psychologist document in the record that the patient has moderate or severe cognitive impairment?

- 1. Yes
- 2. No

MODSEVCI


During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?

- 1. Yes
- 2. No

VACSSRS

During the past year, did an acceptable provider complete the Columbia-Suicide Severity Rating Scale (C-SSRS) Screener?

- 1. Yes
- 2. No
- 98. Patient refused to complete the C-SSRS Screener



CSSRSOUT


Enter the interpretation of the C-SSRS Screener as documented in the medical record.

- 1. Positive
- 2. Negative
- 99. No interpretation documented

ADMINPT

On (computer to display vacssrsdt), the same calendar day as the positive C-SSRS, is there evidence the patient was admitted to inpatient or residential treatment for mental health care?

- 1. Yes
- 2. No



(MH) Please enter the course of action documented in the record from the following list of interventions. General Strategies for Managing Risk in any setting (The

provider may add additional comment/interventions as needed.)

Select all that apply:

CSREINT1. Alert Suicide Prevention Coordinator for consideration of a Patient Record Flag Category I High Risk for Suicide

CSREINT2. Complete or Update Veteran's Safety Plan

CSREINT3. Increased frequency of Suicide Risk Screening [text box]

CSREINT4. Provide Lethal Means Safety Counseling (e.g., provision of gun locks)

CSREINT5. Obtain additional information from collateral sources [Optional: comment]

CSREINT6. For prescribers only: Review of prescribed medications for risk for self-harm and/or new

pharmacotherapy intervention to reduce suicide risk (Optional: comment)

CSREINT7. Address barriers to treatment engagement by: [text box]

CSREINT8. Address psychosocial needs by: [text box]

CSREINT9. Address medical conditions by: [text box]

CSREINT10. Consult/Referral to additional services and support: [text box for options]

CSREINT11. Referral to evidence based psychotherapy

CSREINT12. Referral to psychiatry/medication assessment or management

CSREINT13. Referral to Chaplaincy/pastoral care

CSRECHR

Enter the Clinical Impression of Chronic Risk as documented in the medical record:

- 1. High Risk (as evidenced by):
- 2. Intermediate Risk (as evidenced by):
- 3. Low Risk (as evidenced by):
- 99. Chronic risk not documented

CSREINT14. Referral to vocational rehabilitation/occupational rehabilitation services

CSREINT15. Referral for PRRC and/or ICMHR services

CSREINT16. Referral for residential mental health services

CSREINT17. Other Consult submitted to: [text box for user to enter a name]

CSREINT18. Discussion with Veteran to continue to see assigned Primary Care Provider for medical care

CSREINT19. Discussion with Veteran regarding enhancement of a sense of purpose and meaning

CSREINT20. Educate Veteran on smartphone VA applications

(e.g. Virtual Hope Box, PTSD Coach)

CSREINT21. Conduct medication reconciliation

CSREINT22. Involve family/support system in Veteran's care

CSREINT23. Provide Opioid Overdose Education and Naloxone Distribution (OEND)

CSREINT24. Provide resources/contacts for benefits information CSREINT25. Provide Veteran with phone number for Veteran's

Crisis Line: 1-800-273-8255 (press 1)

CSREINT26. Other/Comments: [text box]

CSREINT27. Obtain consultation from Suicide Risk Management Consultation Program on ways to address Veteran's risk by sending a request for consultation by email to: Email (Left Click and Allow)

CSREINT99. No interventions documented by the provider