Document Links:

HBPC Instrument

COHORT
69 – Home Based Primary Care

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing data
5. Administrative exclusion from all measures

HOSPICE
During the past year is there documentation in the medical record the patient is enrolled in a VHA or community-based hospice program?
1. Yes
2. No

DEMENTDX2
During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A81.00, A81.01, A81.09, A81.2, A81.82, A81.89, A81.9, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G23.1, G30.0, G30.1, G30.8, G30.9, G31.01, G31.09, G31.83, G90.3

1. Yes
2. No

PERMCI
During the past year, did a physician/APN/PA or psychologist document that the patient has probable permanent cognitive impairment using a Clinical Reminder?
1. Yes
2. No

MDE = Missing or Invalid Data Exclusion (data error)

Pg 2

EXCLUDED

DEMSEV

MIssing

99

MODSEVCI

Missing

MDE

1

1, 2, 3

2

COGSCOR2

MIssing

5

EXCLUDED

Pg 2b

Missing

4, 6, 99

MDE

Missing

INCSEVCI

2

STDYBEG

Valid Date

PTSDX

2

Pg 3

1

1

Missing Or Invalid

MDE

Invalid or Missing

RECPTSDT

EXCLUDED

Valid Date

Calculate
STDYBEG - RECPTSDT

> 1 yr

<= 1 year

EXCLUDED

PTSDX
Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:
**F43.1, F43.10 - F43.12**

1. Yes
2. No

RECPTSDT
Enter the date within the past year of the most recent clinical encounter where PTSD was identified as a reason for the clinical encounter.

DEMSEV
Was the severity of dementia assessed during the past year using one of the following standardized tools?
1. Clinical Dementia Rating Scale (CDR)
2. Functional Assessment Staging Tool (FAST)
3. Global Deterioration Scale (GDS)
99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2
What was the outcome of the assessment of the severity of dementia assessment?
4. Score indicated mild dementia
5. Score indicated moderate to severe dementia
6. Score indicated no dementia
99. No score documented in the record or unable to determine outcome

STDYBEG (rcvd on pull list)
Study interval begin date

MODSEVCI
During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

INCSEVCI
During the timeframe from (computer display demsevdt + 1 day to stdyend), did a physician/APN/PA or psychologist document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

Pg 3

PMILSEPDT —Missing→ MILSEPDT —Missing→

PMILSEPDT → Valid Date ↓

VALSEPDT —Missing→

VALSEPDT — 2 →

MILSEPDT → Valid Date or 99/99/9999 ↓

Set variable SEPARDT = MILSEPDT

VALSEPDT → 1 ↓

MDE

Set variable SEPARDT = PMILSEPDT

Missing or < 09/01/18

MDE ←Missing— SCRPTSD5I9 —1→ PCPTSD5DT

SCRPTSD5I9 ↓ 2, 98

PCPTSD5DT → >= 09/01/18 ↓

Calculate STDYBEG - PCPTSD5DT

<= 1 yr

> 1 year

Pg 4 ←99/99/9999— SEPARDT

Pg 7

SEPARDT → Valid Date ↓

Calculate STDYBEG - SEPARDT

<= 5 yrs —

— > 5 yrs

PMILSEPDT
Computer will prefill the date of military service separation from the pull list.

VALSEPDT
Is (computer to display pmilsepdt) the most recent service separation date documented in the record.
1. Yes
2. No

MILSEPDT
Enter the veteran's most recent date of separation from active military duty.

SCRPTSD5I9
On or after 9/01/2018, was the patient screened for PTSD using the Primary Care PTSD5 +I9?
1. Yes
2. No
98. Patient refused screening by the PC-PTSD5 +I9

PCPTSD5DT
Enter the date of the most recent screen for PTSD using the PC-PTSD5+ I9.

Pg 4

Pg 5 ←— 2, 98 —— SCRPTSD5I9 ←— 2, 98 —— PCPTSD5 —— Missing —→ MDE

SCRPTSD5I9 │ 1

PCPTSD5 │ 1 →→ PCPTSD5DT2 —— Missing or < 09/01/18 —→ MDE

PCPTSD5DT2 │ >= 09/01/18

Calculate STDYBEG - PCPTSD5DT2 —— <= 1 yr ——→ Pg 7

> 1 yr

99/99/9999 ←—— SEPARDT

SEPARDT │ Valid Date

FAIL ←— <= 5 yrs —— **Calculate** STDYBEG - SEPARDT —— > 5 yrs —→ Pg 7

PCPTSD5 (MH)
On or after 9/01/2018, was the patient screened for PTSD using the Primary Care PTSD5 (PC-PTSD5)?
1. Yes
2. No
98. Patient refused screening by the PC-PTSD5

PCPTSD5DT2 (MH)
Enter the date of the most recent screen for PTSD using the PC-PTSD5.

Pg 5

PTSRNPC

2

Missing

1

PCPTSDT

Missing or
>= 10/01/18

< 10/01/18

SEPARDT

99/99/9999

Valid Date

FAIL

<= 5 yrs

Calculate
STDYBEG - SEPARDT

> 5 yrs

Calculate
STDYBEG - PCPTSDT

> 5 yrs

MDE

<= 5 years

Pg 6

PTSRNPC (MH)
Within the past five years and prior to 10/01/
2018, was the patient screened for PTSD using
the Primary Care PTSD Screen (PC-PTSD)?
1. Yes
2. No

PCPTSDT (MH)
Enter the date of the most
recent screen for PTSD
using the PC-PTSD.

Pg 6

PCPTSD1

99 (left) →

Missing (right)

1, 2 (down)

PCPTSD2

99 (left)

Missing (right)

1, 2 (down)

PCPTSD3

99 (left)

Missing (right)

1, 2 (down)

FAIL ← 99 — PCPTSD4 — Missing → MDE

1, 2 (down)

z — PTSDSCOR — Missing

Numeric Value

PASS

PCPTSD
Enter the patient's answers to each of the Primary Care PTSD Screen questions:
Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you:
PCPTSD1. Have had any nightmares about it or thought about it when you did not want to?
PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?
PCPTSD3. Were constantly on guard, watchful, or easily startled?
PCPTSD4. Felt numb or detached from others, activities, or your surroundings?
1. Yes
2. No
95. Not applicable
99. No answer documented

PTSDSCOR
Enter the total score for the screen documented in the record.
(Abstractor can enter default z if no total score is documented)

```
                                    ┌──────┐
                                    │ Pg 7 │
                                    └──┬───┘
                                       ▼
        ┌─────────┐              ┌─────────┐
99 ─────│ TRAUMEVT│◄── 2, 99 ───│ TRAUMEVT│── Missing ──►( MDE )
        └────┬────┘              └────┬────┘
             │ 2                      │ 1
             │                        ▼
             │                 ┌─────────────┐
             │     ANY =       │  SCRPTSD1   │   NONE = Missing
             │   Missing ──────│  SCRPTSD2   │────── And
             │                 │  SCRPTSD3   │      ANY = 99
             │                 │  SCRPTSD4   │
             │                 │  SCRPTSD5   │
             │                 └──────┬──────┘
             │        ( MDE )         │ ALL = 1, 2
             │           ▲            ▼
             │           │      ┌──────────┐
             │   Missing ───────│ SCORPTSD5│──── z ────►
             │                  └─────┬────┘
             │                        │
             │              0, 1, 2, 3, 4, 5
             │                        ▼
             │            ( In Denominator and          ( FAIL )
             │              Numerator                      │
             │            (**Passes** measure) )           ▼
             │        ┌──────┐                  ( In Denominator only
             └────────│ PASS │                    (**Fails** measure) )
                      └──────┘
```

TRAUMEVT	Enter the patient's answers to each of the PC-PTSD5 Screen questions:	
Enter the response documented in the record for PC-PTSD5 exposure to traumatic event(s).	**In the past month, have you:**	
Sometimes things happen to people that are unusually or especially frightening, horrible, or traumatic. For example:	**SCRPTSD1**. Had nightmares about the event(s) or thought about the event(s) when you did not want to?	
• a serious accident or fire	**SCRPTSD2**. Tried hard not to think about the event(s) or went out of your way to avoid situations that remind you of the event(s)?	**SCORPTSD5**
• a physical or sexual assault or abuse		Enter the total score for the PC-PTSD5 screen documented in the record..
• an earthquake or flood	**SCRPTSD3**. Been constantly on guard, watchful, or easily startled?	
• a war	**SCRPTSD4**. Felt numb or detached from people, activities, or your surroundings?	
• seeing someone be killed or seriously injured		
• having a loved one die through homicide or suicide.	**SCRPTSD5**. Felt guilty or unable to stop blaming yourself or others for the event(s) or any problems the event(s) may have caused?	**PTSD5OUT**
Have you ever experienced this kind of event?		Enter the interpretation of the PC-PTSD5 screen as documented in the medical record.
		1. Positive
1. Yes	1. Yes	2. Negative
2. No	2. No	
99. Response not documented	99. Response not documented	99. No interpretation documented