### **Document Links:**

**CTR** Instrument

### **REVSTAT**

**REVIEW STATUS (not abstracted)** 

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers
- 5. Administrative exclusion from all measures

### **ADMFOBT**

During the timeframe from (computer display fobtdt to fobtdt +7 days), was the patient admitted to an inpatient setting?

- 1. Yes
- 2. No

## **FOBTVAL**

Computer to pre-fill the result of the FOBT/FIT reported during the timeframe from (computer to display stdybeg) to (computer to display stdybed).

## **FOBTDT**

Computer to pre-fill the date the FOBT/FIT was reported.

## **FOBTENC**


During the timeframe from (computer display fobtdt to fobtdt + 30 days), did the patient have a face to face encounter with a physician/APN/PA?


- 1. Yes
- 2. No

## FOBTENCDT

Enter the earliest date of the face to face encounter with a physician/APN/PA.

MDE = Missing or Invalid Data Exclusion (data error)






## **NFOBTCOM**


During the timeframe from (computer display fobtdt to fobtdt + 30 days), was the FOBT/FIT result communicated to the patient by any of the following methods?

- My HealtheVet Premium account
- · Letter does not have to be sent by certified mail.
- Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters
- Clinical Video Telehealth (CVT) refers to real time clinic based video encounter between the patient and provider.
- Telephone
- 1. Yes
- 2. No


## NFOBTCOMDT

Enter the **earliest** date the FOBT/FIT result was communicated to the patient.





#### Pg 5 **AFPVAL** AFPDT Computer to pre-fill the result of the Computer to pre-fill AFP reported during the timeframe the date the AFP from (computer to display stdybeg) result was reported. to (computer to display stdyend). > 20 or AFPVAL **ADMAFP** Missing During the timeframe from (computer display afpdt to afpdt +7 days), was the patient admitted to an inpatient setting? >= 0 and <= 20 1. Yes 2. No **AFPENC** Missing During the timeframe from (computer display **AFPDT** Or **MDE** afpdt to afpdt + 30 days), did the patient have a Invalid face to face encounter with a physician/APN/PA? 1. Yes 2. No Valid Date **AFPENCDT** Enter the earliest date of the face to face Pg 6 **ADMAFP** Missingencounter with a physician/APN/PA. **NAFPCOM** During the timeframe from (computer display afpdt to afpdt + 30 days), was the AFP result communicated to the patient by any of the following methods? • My HealtheVet Premium account • Letter - does not have to be sent by certified mail. **AFPENC** Missing-· Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters • Clinical Video Telehealth (CVT) refers to real time clinic based video encounter between the patient and provider. • Telephone Missing or **AFPENCDT** 1. Yes Invalid 2. No **NAFPCOMDT** Valid Date Enter the earliest date the AFP result was communicated to the patient. Calculate <= 14 Add 1 to numerator AFPENCDT - AFPDT and denominator days > 14 days Missing Add 1 to Pg 6 NAFPCOMDT MDE NAFPCOM Or denominator Invalid Valid Date Missing Add 1 to numerator <= 14 Calculate **MDE** NAFPCOMDT - AFPDT and denominator days > 14 days Pg 6 Add 1 to denominator



#### Pg 7 **DEXVAL** For the DEXA Scan on (computer to display dexdt) was **DEXDT** the reported result a T-score of Computer to pre-fill -2.5 or lower (abnormal)? the date the DEXA 1. Yes DEXDT Missing-Scan was reported. 2. No **ADMDEX** During the timeframe from (computer display Valid Date dexdt to dexdt +7 days), was the patient admitted to an inpatient setting? 1. Yes 2. No **DEXVAL** Missing-**MDE DEXENC** During the timeframe from (computer display dexdt to dexdt + 30 days), did the patient have a 2 face to face encounter with a physician/APN/PA? 1. Yes 2. No Pg8 ADMDEX Missing-**DEXENCDT** Enter the earliest date of the face to face encounter with a physician/APN/PA. 2 **NDEXCOM** During the timeframe from (computer display dexdt to dexdt + 30 days), was the DEXA Scan result communicated to the patient by any of the following **DEXENC** Missingmethods? • My HealtheVet Premium account • Letter - does not have to be sent by certified mail. · Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters · Clinical Video Telehealth (CVT) refers to real time Missing or clinic based video encounter between the patient DEXENCDT and provider. Invalid Telephone 1. Yes Valid Date 2. No **NDEXCOMDT** Calculate Add 1 to numerator Enter the earliest date the DEXA Scan result **DEXENCDT - DEXDT** and denominator was communicated to the patient. > 14 Missing Add 1 to Pg8 **NDEXCOMDT NDEXCOM MDE** Or denominator Invalid Valid Date Missing Add 1 to numerator <= 14 Calculate **MDE** NDEXCOMDT - DEXDT and denominator days > 14 days

Add 1 to denominator

Pg8

### CXRVAL

For the CXR on (computer to display cxrdt) was the result reported as abnormal?

- 1. Yes
- 2. No

### **CXRDT**

Computer to prefill the date the chest x-ray (CXR) was reported.

#### **ADMCXR**

During the timeframe from (computer display cxrdt to cxrdt +7 days), was the patient admitted to an inpatient setting?

- 1. Yes
- 2. No

### **CXRENC**

During the timeframe from (computer display cxrdt to cxrdt + 30 days), did the patient have a face to face encounter with a physician/APN/PA?

- 1. Yes
- 2. No

### **CXRENCDT**

Enter the earliest date of the face to face encounter with a physician/APN/PA.

### **NCXRCOM**

During the timeframe from (computer display cxrdt to cxrdt + 30 days), was the CXR result communicated to the patient by any of the following methods?

- · My HealtheVet Premium account
- Letter does not have to be sent by certified mail.
- Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters
- Clinical Video Telehealth (CVT) refers to real time clinic based video encounter between the patient and provider.

Missing

Or

Invalid

<= 14

days

- Telephone
- 1. Yes
- 2. No

#### NCXRCOMDT


Enter the **earliest** date the CXR result was communicated to the patient.

MDE

Add 1 to numerator

and denominator

Pg 9



### **CTSVAL**

For the CT Scan on (computer to display ctsdt) was the result reported as abnormal?

- 1. Yes
- 2. No

### **CTSDT**

Computer to pre-fill the date the CT Scan result was reported.

#### **ADMCTS**

During the timeframe from (computer display ctsdt to ctsdt +7 days), was the patient admitted to an inpatient setting?

- 1. Yes
- 2. No

### **CTSENC**

During the timeframe from (computer display ctsdt to ctsdt + 30 days), did the patient have a face to face encounter with a physician/APN/PA?

- 1. Yes
- 2. No

#### **CTSENCDT**

Enter the earliest date of the face to face encounter with a physician/APN/PA.

## **NCTSCOM**

During the timeframe from (computer display ctsdt to ctsdt + 30 days), was the CT Scan result communicated to the patient by any of the following methods?

- My HealtheVet Premium account
- · Letter does not have to be sent by certified mail.
- Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters
- Clinical Video Telehealth (CVT) refers to real time clinic based video encounter between the patient and provider.
- Telephone
- 1. Yes
- 2. No

# NCTSCOMDT

Enter the **earliest** date the CT Scan result was communicated to the patient.

MDE

Add 1 to numerator

and denominator

Pg 10


Missing

Or

Invalid

<= 14

days



#### PAPDT

Computer to pre-fill the date the Pap test was collected.

#### PAPRPTDT

Enter the date of the pap test report.

### **PAPVAL**

For the pap test reported on (computer display paprptdt), was the result reported as abnormal (or one of the following)?

- -- atypical squamous cells of undetermined significance (ASCUS)
- -- atypical squamous cells cannot exclude a highgrade squamous intraepithelial lesion
- -- low grade squamous intraepithelial lesions, high grade squamous intraepithelial lesions
- -- squamous cell carcinoma
- -- atypical glandular cells
- -- endocervical adenocarcinoma in situ
- -- adenocarcinoma
- 1. Yes
- 2. No

### **HPVTEST**

In association with the pap test reported on (computer display paprptdt), was a HPV test result reported?

- 1. Yes
- 2. No


## **HPVDT**

Enter the date the HPV test result was reported.

## **ADMPAP**

During the timeframe from (if hpvtest = 2, computer display paprptdt to paprptdt +7 days OR if hpvtest = 1, hpvdt to hpvdt + 7 days), was the patient admitted to an inpatient setting?

- 1. Yes
- 2. No



### PAPENC

During the timeframe from (if hpvtest = 1 and hpvdt > paprptdt, computer display hpvdt to hpvdt + 30 days; else paprptdt tp paprptdt +30 days), did the patient have a face to face encounter with a physician/APN/PA?

- 1. Yes
- 2. No

#### **PAPENCDT**

Enter the earliest date of the face to face encounter with a physician/APN/PA.


## **NPAPCOM**

During the timeframe from (if hpvtest = 1 and hpvdt > paprptdt, computer display hpvdt to hpvdt + 30 days; else paprptdt tp paprptdt + 30 days), was the Pap result communicated to the patient by any of the following methods?

- My HealtheVet Premium account
- · Letter does not have to be sent by certified mail.
- Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters
- Telehealth refers to real time clinic based video encounter between the patient and provider.
- Telephone
- 1. Yes
- 2. No

## **NPAPCOMDT**

Enter the **earliest** date the Pap result was communicated to the patient.



#### HIVDT1 Pg 12 Computer to pre-fill the date the human immunodeficiency virus (HIV) confirmatory test result was reported. HIVDT2 Enter the date the most recent Pg 14 HIVDT1 Missinghuman immunodeficiency virus (HIV) confirmatory test result was reported during the study period. Valid Date Set variable **MDE** Missing VHIVCONF DATEHIV = HIVDT1 2 Set variable HIVDT2 Missing Valid Date-DATEHIV = HIVDT2 Missing 99/99/9999 HIVSCRDT **HIVSCR** -Missing-MDE 2 Valid Date Pg 14 1, 3 1, 3 Set variable Pg 13 **HIVSCRES HIVRES** DATEHIV = HIVSCRDT Missing Missing VHIVCONF **MDE** On (computer to display hivdt1), was a human immunodeficiency virus (HIV) confirmatory test result reported? **HIVRES** What was the result of the confirmatory test for Examples of HIV confirmatory tests **HIVSCR** include, but are not limited to: During the timeframe from (computer Western blot 1. Positive or reactive to display stdybeg to stdyend), was a 2. Negative or nonreactive • Indirect fluorescent antibody (IFA) screening test for HIV performed? 3. Indeterminate HIV Viral Load 1. Yes • HIV PCR 2. No **HIVSCRES** • HIV RNA HIV NAAT What was the result of the screening test for HIV? **HIVSCRDT** 1. Positive or reactive Enter the date the HIV screening test 2. Negative or nonreactive 1. Yes

result was reported.

2. No

3. Indeterminate

## **ADMHIV**

During the timeframe from (If vhivconf = 1, computer to display hivdt1 to hcvdt1 + 7 days; if vhivconf = 2 and hivdt2 = 99/99/9999 display hivscrdt to hivscrdt + 7 days; else if vhivconf = 2 display hivdt2 to hivdt2 + 7 days), was the patient admitted to an inpatient setting?

1. Yes

2. No

# HIVENC

During the timeframe from (If vhivconf =1, computer to display hivdt1 to hcvdt1 + 30 days; if vhivconf =2 and hivdt2=99/99/9999 display hivscrdt to hivscrdt + 30 days; else if vhivconf =2 display hivdt2 to hivdt2 + 30 days), did the patient have a face to face encounter with a physician/APN/PA?

1. Yes

2. No

#### **HIVENCDT**

Enter the earliest date of the face to face encounter with a physician/APN/PA.

#### **NHIVCOMDT**

Enter the **earliest** date the negative/nonreactive HIV confirmatory or screening test result was communicated to the patient.

MDE

Add 1 to numerator

and denominator

Pg 14

Missing


Or

Invalid

days

Add 1 to

denominator



During the timeframe from (If vhivconf = 1, computer to display hivdt1 to hcvdt1 + 30 days; if vhivconf = 2 and hivdt2 = 99/99/9999 display hivscrdt to hivscrdt + 30 days; else if vhivconf = 2 display hivdt2 to hivdt2 + 30 days), was the negative/nonreactive HIV confirmatory or screening test result communicated to the patient by any of the following methods?

- My HealtheVet Premium account
- Letter does not have to be sent by certified mail.
- Secure messaging is a confidential message functionality of My HealtheVet similar to email between patient and provider for non-urgent matters
- Clinical Video Telehealth (CVT) refers to real time clinic based video encounter between the patient and provider.
- Telephone
- 1. Yes
- 2. No

