

>= 0 and <= 120

CLNTRIAL (Validation) During this hospital stay, was the patient enrolled in a clinical trial in which patients with acute myocardial infarction (AMI) were being studied? 1 = Yes 2 = No	
<ul> <li>TRANSIN3 (Validation)</li> <li>Was the patient received as a transfer from an inpatient, outpatient or emergency/observation department of an <u>outside</u> hospital or from an ambulatory surgery center?</li> <li>1. Yes</li> <li>2. No</li> </ul>	MDE NOT =
<b>COMM1TX</b> (Validation) Did the patient present initially to a community hospital where he/she received all or part of the first 24 hours of care for ACS? 1. yes 2. no	1012
<b>COMMINPT</b> (Validation) Was the patient a transfer from a community hospital where he/ she was an inpatient for ACS care? 1. yes 2. no	NOT = 1 or 2
INPTACS (Validation) Was the veteran already a VAMC inpatient when ACS occurred? 1. yes 2. no 95. not applicable	NOT =
<b>CLOSECG</b> (At presentation) Is there documented interpretation of the 12-lead ECG performed closest to acute care hospital arrival? 1. yes 2. no	
ECGINTRP(At presentation) What were the specific findings from interpretation of the ECG performed closest to hospital arrival or a subsequent ECG if the first was non-diagnostic? 1. ST-segment elevation 2. Left bundle branch block (LBBB) (new or not known to be	NOT = 1 or 2
old) 3. LBBB described as old or chronic 4. ST-segment depression, old and/or unchanged 5. T wave inversion 6. Non-specific ST-segment and T wave changes 7. Normal ECG 8. Q waves	NOT = 1 or 2
<ol> <li>Right bundle branch block</li> <li>Transient or dynamic ST-segment changes in association with rest angina</li> <li>Sustained ventricular tachycardia runs and/or sustained ventricular tachycardia with hypotension</li> <li>ST-segment depression, new or not known to be old</li> <li>Documented NSTEMI, non ST-elevation MI</li> <li>Not applicable</li> <li>Interpretation not consistent with above terminology</li> </ol>	NOT = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, — 12, 13, 95, 99









