CATNUM
Sample category
16. AMI - Outpatient visit
36. SCI Dx
48. Female, age 20-69
50. Random Sample
51. Random Sample MH
54. Frail/Elderly
60. DM Outpatient
61. Inpatient SC
68. Contract CBOC

FEFLAG (rcvd on pull list)
FE case flagged for CGPI
review / scoring?
0. No
1. Yes

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

MODSEVCI (MH)
During the past year, did the clinician document in the record
that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

COGSCOR (MH)
What was the outcome of the screen for cognitive impairment?
4.   Score indicated mild cognitive impairment
5.   Score indicated moderate to severe impairment
6.   Score indicated no cognitive impairment
95. Not applicable
99. No score documented in the record or unable to determine
   outcome

DEMENTDX (MH)
During the past year, does the record document a diagnosis of
dementia as evidenced by one of the following ICD-9-CM codes?
-- Dementia (290.XX)
-- Alcohol-induced persisting amnesic disorder (291.1)
-- Alcohol-induced persisting dementia (291.2)
-- Dementia in conditions classified elsewhere (294.XX)
1. Yes
2. No

DEPTXYR (MH)
Within the past year, did the patient have at least one clinical
encounter where depression was identified as a reason for the
visit as evidenced by one of the following ICD-9-CM codes:
296.2-296.3, 298.0, 300.4, 301.12, 309.0, 309.1, 309.28, or 311.
1. Yes
2. No

BPDXYR (MH)
Within the past year, did the patient have at least one clinical
encounter where bipolar disorder was identified as a reason for
the clinical encounter as evidenced by one of the following ICD-
9-CM codes: **296.5x, 296. 6x, 296.7x, or 296.8x**
1. Yes
2. No

Flowchart:

START → CATNUM
- CATNUM = 54 → (down)
- CATNUM = 16, 48, 50, 51, 60 → REVSTAT
- CATNUM NOT = 16, 48, 50, 51, 54 or 60 → EXCLUDED (right)

54 → FEFLAG
- FEFLAG NOT = 1 → EXCLUDED
- FEFLAG = 1 → REVSTAT

REVSTAT
- NOT = 2 → (right / EXCLUDED)
- = 2 → MODSEVCI

MODSEVCI
- NOT = 2 → (right / EXCLUDED)
- 2 → COGSCOR

COGSCOR
- NOT = 4, 6, 95, 99 → (right / EXCLUDED)
- 4, 6, 95, 99 → DEMENTDX

DEMENTDX
- NOT = 2 → (right / EXCLUDED)
- 2 → DEPTXYR

DEPTXYR
- NOT = 2 → (right / EXCLUDED)
- 2 → BPDXYR

BPDXYR
- NOT = 2 → EXCLUDED
- 2 → Pg 2

Pg 2

PHQ2DT → **99/99/9999 or Missing** → EXCLUDED

PHQ2DT (MH)
Enter the date within the past year of the <u>most recent</u> screening for depression by the PHQ-2 or PHQ-9.

Valid Date

SCRNPHQ — 3

SCRNPHQ (MH)
On the date of the most recent screening for depression, was the patient screened by the PHQ-2 or the PHQ-9?
2. Screened by PHQ-2
3. Screened by PHQ-9
4. Screened by PHQ-2 AND PHQ-9 on the same date

2 or 4

PH1SCOR — 95, 99
PH1SCOR — 3

PH1SCOR (MH)
Enter the score for PHQ-2 Question 1 documented in the record:
Over the past 2 weeks, have you been bothered by little interest or pleasure in doing things?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

0, 1, 2

PH2SCOR — 95, 99
PH2SCOR — 3

PH2SCOR (MH)
Enter the score for PHQ-2 Question 2 documented in the record:
Over the past 2 weeks, have you been bothered by feeling down, depressed, or hopeless?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

0, 1, 2

Calculate sum of PH1SCOR + PH2SCOR — >= 3

PHQTOTAL (MH)
Enter the <u>total score</u> for the **PHQ-2** documented in the medical record.

< 3

PHQTOTAL — >=3

OUTCOME3 (MH)
What was the outcome of the PHQ-2 documented in the record?
1. Outcome positive (suggestive of depression)
2. Outcome negative (no indication of depression)
95. Not applicable
99. Outcome not documented

< 3 or Not Numeric

OUTCOME3 — 1 → Pg 3b

2, 95, 99

Pg 3

Pg 3

SCRNPHQ

— 2 →

3 or 4

PH9TOTAL

>= 10 →

< 10 or Not Numeric

EXCLUDED

PH9SCOR

1, 2, 3 →

0, 95, 99

PHQ9OUT

1, 5, 6, 7 →

3, 4, 95, 99

Pg 3b

DEPRISK

— 2 →

1

Calculate
DEPRSKDT - PHQ2DT

< 0 or > 1

In Denominator Only
(**Fails** indicator)

>= 0 and <= 1

In Denominator and
Numerator
(**Passes** indicator)

PHQ9TOTAL (MH)
Enter the total score of the PHQ-9 documented in the record.

PH9SCOR (MH)
Enter the score for PHQ-9 Question 9 documented in the record:
Over the last 2 weeks, how often have you been bothered by thoughts that you would be better off dead, or of hurting yourself in some way?
0. Not at all --> 0
1. Several days --> 1
2. More than half the days --> 2
3. Nearly every day --> 3
95. Not applicable
99. No answer documented

PHQ9OUT (MH)
Was the outcome of the PHQ-9 documented in the medical record?
1. Outcome positive
3. Score suggestive of no depression
4. Score suggestive of mild depression
5. Score suggestive of moderate depression
6. Score suggestive of moderately severe depression
7. Score suggestive of severe depression
95. Not applicable
99. No documentation of outcome

DEPRISK (MH)
Following the positive PHQ-2 or PHQ-9 depression screen or affirmative answer to PHQ-9 question 9, did the provider document a suicide ideation/behavior evaluation?
1. Yes
2. No

DEPRSKDT (MH)
Enter the date of the suicide ideation/ behavior evaluation.