REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

CATNUM
Sample category
53. Surgical Care
55. Type 10 Surgery Cases

SIADMDT (SCIP)
Date of admission to inpatient care:

BIRTHDT
Patient date of birth. Received on pull list.

DTOFDC (SCIP)
Discharge Date

AGE
Calculated field = SIADMDT - BIRTHDT

START

REVSTAT — NOT = 2

2

CATNUM — Not = 53 or 55

53, 55

Invalid or Missing — DTOFDC — < 01/01/12

>= 01/01/12

Invalid or Missing — SIADMDT

Valid Date

Calculate
DTOFDC - SIADMDT — > 120

< 0, > 120

>=0 and <= 120

Invalid or Missing — BIRTHDT

Valid Date

JC Reject — < 0 or Missing — AGE — >= 0 and < 18 — EXCLUDED

>= 18

Pg 2

PRINPX (SCIP)
Enter the ICD-9-CM principal procedure code and date the procedure was performed
(date is stored in PRINPXDT)

PRINCODE (SCIP)
Enter the ICD-9-CM principal diagnosis code:

CLNTRIAL (SCIP)
During this hospital stay, was the patient enrolled in a clinical trial in which patients undergoing surgery were being studied?
1. Yes
2. No

ANEBEGDT (SCIP)
Enter the date the anesthesia was started for the principal procedure.

INFECDOC (SCIP)
Did the patient have an infection during this hospitalization prior to the principal procedure?
(Requires Physician, APN, or PA documentation)
1 = Yes
2 = No

Pg 2

PRINPX

Not on table 5.11

On table 5.11

PRINCODE

On table 5.09, 5.14 or 5.15

Not on table 5.09, 5.14 or 5.15

CLNTRIAL

Missing

1

2

ANEBEGDT

Missing

99/99/999 (UTD)

FAIL

VALID DATE

Calculate
ANEBEGDT - SIADMDT

< 0

>= 0

INFECDOC

Missing

1

EXCLUDED

Type X

2

Pg 3

PERIEXPR (SCIP)
Is there documentation that the patient expired during the timeframe from surgical incision through discharge from the post anesthesia care/ recovery area?
1. Yes
2. No
95. Not applicable

ANESENDT (SCIP)
Enter the date the anesthesia ended for the principal procedure

GLUCOLVL (SCIP)
Enter the serum glucose level drawn closest to 6:00 AM on post-op day one.

GLUC2LVL (SCIP)
Enter the serum glucose level drawn closest to 6:00 AM on post-op day two.

Pg 3

PERIEXPR
— 95 or Missing
— 1 → EXCLUDED
— 2

ANESENDT
— Missing
— 99/99/9999 (UTD)
— VALID DATE

Calculate
DTOFDC - ANESENDT
— <= 2 → EXCLUDED
— > 2

GLUCOLVL
— nnnn or Missing
— > 200 or zzzz (UTD) → In Denominator only (**fails** indicator)
— <= 200

GLUC2LVL
— nnnn or Missing → Type X
— > 200 or zzzz (UTD) → In Denominator only (**fails** indicator)
— <= 200

In Denominator and Numerator
(**passes** indicator)