CATNUM
Sample category
16. AMI - Outpatient visit
36. SCI Dx
48. Female, age 20-69
50. Random Sample
51. Random Sample MH
54. Frail/Elderly
60. DM Outpatient
61. Inpatient SC
68. Contract CBOC

FEFLAG (rcvd on pull list)
FE case flagged for CGPI review / scoring?
0. No
1. Yes

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

MODSEVCI (MH)
Within the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

COGSCOR (MH)
What was the outcome of the screen for cognitive impairment?
4. Score indicated mild cognitive impairment
5. Score indicated moderate to severe impairment
6. Score indicated no cognitive impairment
95. Not applicable
99. No score documented in the record or unable to determine outcome

DEMENTDX (MH)
During the past year, does the record document a diagnosis of dementia as evidenced by one of the following ICD-9-CM codes?
-- Dementia (290.XX)
-- Alcohol-induced persisting amnesic disorder (291.1)
-- Alcohol-induced persisting dementia (291.2)
-- Dementia in conditions classified elsewhere (294.XX)
1. Yes
2. No

PTSDX (MH)
Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by ICD-9-CM code 309.81?
1 = Yes
2 = No

MDE = Missing or Invalid Data Exclusion (data error)

PCPTSDT (MH)
Enter the date of the <u>most recent</u> screen for PTSD using the PC-PTSD.

PTSDATE (MH)
Enter the date of the <u>most recent</u> screen for PTSD using a PTSD checklist.

PTSDSCRN (MH)
<u>Within five years prior to the first day of the study interval, but prior to 10/01/07</u>, was the patient screened for PTSD using one of the following standardized instruments?
2. PTSD Checklist - Civilian Version (PCL-C)
3. PTSD Checklist - Military Version (PCL-M)
4. PTSD Checklist - Stressor Specific Version (PCL-S)
99. Not screened by one of these instruments

LEAVDUTY (MH)
Enter the patient's <u>most recent</u> date of separation from active military duty.

PTSRNPC (MH)
Within the past five years, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?
1. Yes
2. No

MDE

Missing

Pg 2

FAIL

99 — PTSDSCRN ← 2 — PTSRNPC — Missing → MDE

2, 3, 4

PCPTSDT — Missing or Invalid → MDE

Valid Date

Set **SCRNDAYS2** as STDYBEG - PTSDATE

SCRNDAYS2 — <= 365 → EXCLUDED

> 365

1

PCPTSDT — Missing or Invalid → MDE

Valid Date

Set **SCRNDAYS** as STDYBEG - PCPTSDT

Pg 3

>= 10/01/07

> 365 — SCRNDAYS — <= 365 → PCPTSDT

99/99/9999 ← LEAVDUTY — Missing or Invalid → MDE

Valid Date

Set **LEAVDAYS as** STDYBEG - LEAVDUTY

< 10/01/07

FAIL

> 1825

<= 1825 — LEAVDAYS — > 1825 → PTSRNPC — 2 → SCRNDAYS2 — <= 1825 → EXCLUDED

< 10/01/07

1

> 1825 — SCRNDAYS — <= 1825 → PCPTSDT

>= 10/01/07

Pg 3

Pg 3

PCPTSD1 — 99 →
PCPTSD1 — 95 or Missing →

1, 2 ↓

PCPTSD2 — 99 →
PCPTSD2 — 95 or Missing →

1, 2 ↓

PCPTSD3 — 99 →
PCPTSD3 — 95 or Missing →

1, 2 ↓

FAIL → In Denominator only (**Fails** indicator) ← 99 — PCPTSD4 — 95 or Missing → MDE

1, 2 ↓

PTSDSCOR — zz →
PTSDSCOR — Missing →

Numeric Value ↓

SCORINTRP — 99 →
SCORINTRP — 95 or Missing →

1, 2 ↓

In Denominator and Numerator (**Passes** indicator)

PTSDSCOR (MH)
Enter the total score for the screen documented in the record.
(If the total score is NOT documented in the record, enter default zz.)

SCORINTRP (MH)
Enter the interpretation of the score, <u>as documented in the medical record</u>.
1. Positive
2. Negative
95. Not applicable
99. No interpretation documented

PCPTSD (MH)
Enter the patient's answers to each of the Primary Care PTSD Screen questions:
Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you:
PCPTSD1. Have had any nightmares about it or thought about it when you did not want to?
PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?
PCPTSD3. Were constantly on guard, watchful, or easily startled?
PCPTSD4. Felt numb or detached from others, activities, or your surroundings?
1. Yes
2. No
95. Not applicable
99. No answer documented