REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

SIADMDT (SCIP)
Date of admission to inpatient care:

BIRTHDT
Patient date of birth. Provided on pull list but may be modified.

DTOFDC (SCIP)
Discharge Date

AGE
Calculated field = SIADMDT - BIRTHDT

PRINPX (SCIP)
Enter the ICD-9-CM principal procedure code and date the procedure was performed (date is stored in PRINPXDT)

OTHRPX1-5 (SCIP)
Enter the ICD-9-CM other procedure codes and dates. (dates are stored in OTHRPXDT1-8)

START

REVSTAT — NOT = 2

2

DTOFDC
- Invalid or Missing
- < 01/01/15 or > 09/30/15

>= 01/01/15 and <= 09/30/15

SIADMDT
- Invalid or Missing

Valid Date

Calculate
DTOFDC - SIADMDT
- < 0
- > 120

>=0 and <= 120

BIRTHDT
- Invalid or Missing

Valid Date

AGE
- < 0 or Missing → JC Reject
- >= 0 and < 18 → EXCLUDED

>= 18

PRINPX — Not table 5.01

On table 5.01

Pg 2

EXCLUDED

JC Reject

Pg 2

PRINCODE (SCIP)
Enter the ICD-9-CM principal diagnosis code:

CLNTRIAL (SCIP)
During this hospital stay, was the patient enrolled in a clinical trial in which patients undergoing surgery were being studied?
1. Yes
2. No

ANEBEGDT (SCIP)
Enter the date the anesthesia was started for the principal procedure.

INFECDOC (SCIP)
Did the patient have an infection during this hospitalization prior to the principal procedure?
(Requires Physician, APN, or PA documentation)
1 = Yes
2 = No

Were there any other procedures requiring general or spinal/epidural anesthesia that occurred within 3 days (4 days for CABG or Other Cardiac Surgery) prior to or after the principal procedure during this hospital stay?
Indicate all that apply: (SCIP)
OTHRSURG1. CABG
OTHRSURG2. Other Cardiac surgery (not CABG)
OTHRSURG3. Hip arthroplasty
OTHRSURG4. Knee arthroplasty
OTHRSURG5. Colon surgery
OTHRSURG6. Hysterectomy
OTHRSURG7. Vascular surgery
OTHRSURG8. Other
OTHRSURG99. No other procedure performed within this timeframe

---

JC Reject ← Missing or Invalid — PRINCODE — On table 5.09 →

PRINCODE — Not on table 5.09 ↓

Type X ← Missing — CLNTRIAL — 1 →

CLNTRIAL — 2 ↓

ANEBEGDT — 99/99/9999 (UTD) → FAIL

ANEBEGDT ← Missing

ANEBEGDT — Valid Date ↓

Calculate ANEBEGDT- SIADMDT — < 0 →

Calculate — >= 0 ↓

INFECDOC ← Missing

INFECDOC — 1 → EXCLUDED

INFECDOC — 2 ↓

OTHRSURG1. OTHRSURG2. OTHRSURG3, OTHRSURG4, OTHRSURG5, OTHRSURG6. OTHRSURG7, OTHRSURG8

OTHRSURG — ANY = Missing ←

OTHRSURG — None = Missing And ANY = -1 →

OTHRSURG — ALL = 0 ↓

Pg 3

Flowchart

Pg 3
↓
OTHRSURG99
- 0 or Missing → (left)
- -1 ↓

INCIZEDT
- Missing → (left)
- 99/99/9999 → FAIL
- Valid Date ↓

RECVANTI
- Missing → Type X
- 1, 4 → FAIL
- 2, 3 ↓

BIONAME
- None entered → Type X
- At least one entry ↓

BIOROUTE
- NONE = 2 → FAIL
- ANY = 2 ↓

Pg 4

From this point ––––––>
proceed ONLY with doses
where BIOROUTE = 2

Side panel

INCIZEDT (SCIP)
Enter the date the incision was made for the principal procedure.

RECVANTI (SCIP)
Did the patient receive an antibiotic via an appropriate route? (PO, NG, PEG, IV, or perfusion)
1. Antibiotic received only within 24 hours prior to arrival or the day prior to arrival and not during hospital stay
2. Antibiotic received within 24 hours prior to arrival or the day prior to arrival and during hospital stay.
3. Antibiotic received only during hospital stay (not prior to arrival)
4. Antibiotic not received or unable to determine from medical record documentation

BIONAME (SCIP)
Document the name of each antibiotic doses administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for CABG or Other Cardiac Surgery).

BIOROUTE (SCIP)
Enter the route of administration of each antibiotic dose that was administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for **CABG or Other Cardiac Surgery**).
1. PO, NG, PEG tube (Oral)
2. IV (Intravenous, perfusion)
3. IM (Intramuscular)
99. UTD (Unable to determine route)

Pg 4

BIODATE

ANY = Missing → Type X

ALL = 99/99/9999 →

BIODATE (SCIP)
Enter the date each antibiotic was administered from arrival through the first 48 hours after Anesthesia End Time (72 hours postop for CABG or Other Cardiac Surgery). (Abstractor can enter 99/99/9999 if date cannot be determined)

From this point ––––––> proceed ONLY with doses where BIODATE = valid date

NONE = missing and ANY = Valid Date

INCIZETM

Missing → Type X

99:99 →

INCIZETM (SCIP)
Enter the time the initial incision was made for the principal procedure. (Abstractor may enter 99:99 if the initial incision time cannot be found in any source)

Valid Time

BIOTIME

ALL = 99:99 →

BIOTIME (SCIP)
Enter the date each antibiotic was administered from arrival through the first 48 hours after Surgery End Time (72 hours postop for CABG or Other Cardiac Surgery). (Abstractor may enter 99:99 if time cannot be determined)

From this point ––––––> proceed only with doses where BIOTIME = valid time

ANY = Valid Time

Set variable **MEDMIN =** INCIZEDT+INCIZETM - BIODATE+BIOTIME

MEDMIN

ANY >= 0 and <= 60

ALL < 0 or > 60

BIONAME

None on table 3.8 or table 3.10 →

In Denominator and Numerator (**passes** indicator)

ANY on table 3.8 or table 3.10

In Denominator only (**fails** indicator)

FAIL

> 60 and <= 120 for ANY on table 3.8 or table 3.10

MEDMIN

< 0 or > 120 for ALL on table 3.8 or table 3.10