START

CATNUM
Sample category
16. AMI - Outpatient visit
36. SCI Dx
48. Female, age 20-69
50. Random Sample
51. Random Sample MH
54. Frail/Elderly
60. DM Outpatient
61. Inpatient SC
68. Contract CBOC

FEFLAG (rcvd on pull list)
FE case flagged for CGPI review / scoring?
0. No
1. Yes

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers (error record)
5. Administrative exclusion from all measures

DOCHOSPCE (PI module)
Is one of the following documented in the medical record:
- the patient is enrolled in a VHA or community-based Hospice program
- the patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- on the problem list it is documented the patient's life expectancy is less than 6 months?
1. Yes
2. No

DEMENTDX2 (MH)
During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following:
ICD-9-CM codes (Prior to 10/01/15):
046.11, 046.19, 046.3, 290.0, 290.10, 290.11, 290.12, 290.13, 290.20, 290.21, 290.3, 290.40, 290.41, 290.42,290.43, 291.2, 292.82, 294.10, 294.11, 294.8, 331.0, 331.11, 331.19, 331.2, 331.7, 331.82, 331.89, 331.9, 333.0 or 333.4

ICD-10-CM codes (On or after 10/01/15):
A8100, A8101, A8109, A812, A8189, A819, Primary I60xx – I69xx + Secondary F0150 or F0151, F0390, F0391, any Primary xxx.xx + Secondary F0280 or F0281, F0390. F0391, F1027, F1997, G231, G300, G301, G308, G309, G3101, G3109, G3183, G903
1. Yes
2. No

DEMSEV (MH)
Was the severity of dementia assessed during the past year using one of the following standardized tools?
1. Clinical Dementia Rating Scale (CDR)
2. Functional Assessment Staging Tool (FAST)
3. Global Deterioration Scale (GDS)
99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2 (MH)
What was the outcome of the assessment of the severity of dementia assessment?
4. Score indicated mild dementia
5. Score indicated moderate to severe dementia
6. Score indicated no dementia
99. No score documented in the record or unable to determine outcome

MODSEVCI (MH)
During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

MDE = Missing or Invalid Data Exclusion (data error)

CATNUM — 54 →
CATNUM — NOT = 16, 48, 50, 51, 54 or 60 → EXCLUDED
CATNUM — 16, 48, 50, 51, 60 ↓

FEFLAG — NOT = 1 → EXCLUDED
FEFLAG — 1 → REVSTAT
REVSTAT — NOT = 2 → EXCLUDED
REVSTAT — 2 ↓

DOCHOSPCE — MIssing → MDE
DOCHOSPCE — 1 → EXCLUDED
DOCHOSPCE — 2 ↓

DEMENTDX2 — MIssing → MDE
DEMENTDX2 — 2 →
DEMENTDX2 — 1 ↓

DEMSEV — MIssing → MDE
DEMSEV — 99 →
DEMSEV — 1, 2, 3 ↓

COGSCOR2 — MIssing → MDE
COGSCOR2 — 5 → EXCLUDED
COGSCOR2 — 4, 6, 99 ↓

COGSCOR2 — 4, 6 → Pg 2
COGSCOR2 — 99 ↓

MODSEVCI — MIssing → MDE
MODSEVCI — 1 → EXCLUDED
MODSEVCI — 2 → Pg 2

1 of 3

Flowchart

Pg 2 →

SCRNAUDC
- 2 → EXCLUDED
- 1 → **DTALSCRN**
  - Missing or Invalid → MDE
  - Valid date → **ALCTXPY2**
- Missing → MDE

MDE → Missing → **INRECVDT**

ALCTXPY2
- 5 → INRECVDT
- Missing → MDE
- 6, 99 → Pg 3

INRECVDT
- 99/99/9999 → Pg 3
- Valid Date → **calculate DTALSCRN - INRECVDT**
  - <= 90 → **SUDCLIN99**
  - > 90 → Pg 3

SUDCLIN99
- -1 → (> 90 path) → Pg 3
- Missing → MDE
- 0 → EXCLUDED

Pg 3

SCRNAUDC (MH)
Within the past year, was the patient screened for alcohol misuse with the AUDIT-C?
1. Yes
2. No

DTALSCRN (MH)
Enter the most recent date of screening for alcohol misuse with the AUDIT-C.

ALCTXPY2 (MH)
Within the year prior to the most recent alcohol screening with AUDIT-C, did the patient participate in a recovery program for alcohol abuse or dependence?
5. Yes, in VHA
6. Yes, but not in VHA (includes AA)
99. No or unable to determine

INRECVDT (MH)
Enter the date of the patient's most recent participation in a recovery program for alcohol abuse or dependence in the year prior to alcohol screening.

SUDCLIN (MH)
Within 90 days prior to the most recent alcohol screening with AUDIT-C, was the patient seen in any of the following VHA substance use disorders (SUD) clinics?
Indicate all that apply:
SUDCLIN1. 513 SUD-Individual
SUDCLIN2. 514 SUD-Home
SUDCLIN3. 519 SUD-PTSD
SUDCLIN4. 547 Intensive-SUD Treatment
SUDCLIN5. 523 Opioid Substitution
SUDCLIN6. 560 SUD-Group
SUDCLIN7. 545 SUD-Telephone
SUDCLIN8. 548 Intensive-SUD-Individual
SUDCLIN95. Not applicable
SUDCLIN99. None of the above

-1 = Yes
0 = No

ALCSCOR (MH)
Enter the total AUDIT-C score documented within the past year in the medical record.

At any time since the most recent alcohol screening, does the record document any of the following components of brief alcohol counseling for past-year drinkers?   (MH)

Indicate all that apply and the **date** counseling was noted in the record:

ALCBAC3. Advice to abstain
ALBA3DT = Date of ALCBAC3
ALCBAC6. Personalized counseling regarding relationship of
                    alcohol to the patient's specific health issues
ALBA6DT = Date of ALCBAC6
ALCBAC7. General alcohol-related counseling (not linked to
                    patient'sissues)
ALBA7DT = Date of ALCBAC7
ALCBAC8.   Patient advised to drink within recommended limits
ALBA8DT = Date of ALCBAC8
ALCBA95. Not applicable
ALCBA99. No alcohol counseling documented

-1 = Yes
 0 = No

Pg 3

ALCSCOR

< 5, zz or Missing   → **Calculate** sum of values in AUDC1 + AUDC2 + AUDC3 (excluding values of 95 and 99)

>= 5

EXCLUDED ← < 5 or missing

>= 5

ALCBAC3

-1

NOT = -1

calculate ALBA3DT - DTALSCRN

< 0 or > 14 → ALCBAC8 — Not = -1

>= 0 and <= 14

-1

ALCBAC6 ← >= 0 and <= 14 — **calculate** ALBA8DT - DTALSCRN

-1

NOT = -1

< 0 or > 14

calculate ALBA6DT - DTALSCRN — < 0 or > 14 → ALCBAC7 — NOT = -1

>= 0 and <= 14

-1

calculate ALBA7DT - DTALSCRN — < 0 or > 14 → **calculate** STDYEND - DTALSCRN — < 14 → EXCLUDED

>= 0 and <= 14

>= 14

In Denominator and Numerator (**Passes** indicator)

In Denominator Only (**Fails** indicator)