Document Links:

[CGPI PI Module](#)

[CGPI MH Module](#)

CATNUM
Sample category
16. AMI - Outpatient visit
36. SCI Dx
48. Female, age 20-69
50. Random Sample
51. Random Sample MH
54. Frail/Elderly
60. DM Outpatient
61. Inpatient SC
68. Contract CBOC

MDE = Missing or Invalid Data Exclusion (data error)

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers
5. Administrative exclusion from all measures

FEFLAG (rcvd on pull list)
FE case flagged for CGPI review / scoring?
0. No
1. Yes

DOCHOSPCE (PI module)
Is one of the following documented in the medical record:
- the patient is enrolled in a VHA or community-based Hospice program
- the patient has a diagnosis of cancer of the liver, pancreas, or esophagus
- on the problem list it is documented the patient's life expectancy is less than 6 months?
1. Yes
2. No

DEMENTDX2 (MH)
During the past year, does the record document a diagnosis of dementia/neurocognitive disorder as evidenced by one of the following ICD-10-CM diagnosis codes:

A8100, A8101, A8109, A812, A8189, A819, Primary I60xx – I69xx + Secondary F0150 or F0151, F0390, F0391, any Primary xxx.xx + Secondary F0280 or F0281, F0390. F0391, F1027, F1997, G231, G300, G301, G308, G309, G3101, G3109, G3183, G903

1. Yes
2. No

DEMSEV (MH)
Was the severity of dementia assessed during the past year using one of the following standardized tools?
1. Clinical Dementia Rating Scale (CDR)
2. Functional Assessment Staging Tool (FAST)
3. Global Deterioration Scale (GDS)
99. Severity of dementia was not assessed during the past year using one of the specified tools

COGSCOR2 (MH)
What was the outcome of the assessment of the severity of dementia assessment?
4. Score indicated mild dementia
5. Score indicated moderate to severe dementia
6. Score indicated no dementia
99. No score documented in the record or unable to determine outcome

MODSEVCI (MH)
During the past year, did the clinician document in the record that the patient has moderate or severe cognitive impairment?
1. Yes
2. No

Flowchart:

START → CATNUM
- CATNUM → 54 → FEFLAG
- CATNUM → 16, 48, 50, 51, 60 → REVSTAT
- CATNUM → NOT = 16, 48, 50, 51, 54 or 60 → EXCLUDED

FEFLAG → NOT = 1 → EXCLUDED
FEFLAG → 1 → REVSTAT

REVSTAT → NOT = 2 → EXCLUDED
REVSTAT → 2 → DOCHOSPCE

DOCHOSPCE → MIssing → MDE
DOCHOSPCE → 1 → EXCLUDED
DOCHOSPCE → 2 → DEMENTDX2

DEMENTDX2 → MIssing → MDE
DEMENTDX2 → 2 → MODSEVCI
DEMENTDX2 → 1 → DEMSEV

DEMSEV → MIssing → MDE
DEMSEV → 99 → MODSEVCI
DEMSEV → 1, 2, 3 → COGSCOR2

COGSCOR2 → MIssing → MDE
COGSCOR2 → 5 → EXCLUDED
COGSCOR2 → 4, 6, 99 → COGSCOR2

COGSCOR2 → 4, 6 → Pg 2
COGSCOR2 → 99 → MODSEVCI

MODSEVCI → MIssing → MDE
MODSEVCI → 1 → EXCLUDED
MODSEVCI → 2 → Pg 2

Pg 2

PTSDX (MH)
Within the past year, did the patient have at least one clinical encounter where PTSD was identified as a reason for the clinical encounter as evidenced by one of the following ICD-10-CM diagnosis codes:

F431, F4310 - F4312

1. Yes
2. No

STDYBEG (rcvd on pull list)
Study interval begin date

PTSRNPC (MH)
Within the past five years, was the patient screened for PTSD using the Primary Care PTSD Screen (PC-PTSD)?
1. Yes
2. No

PCPTSDT (MH)
Enter the date of the most recent screen for PTSD using the PC-PTSD.

LEAVDUTY (MH)
Enter the patient's most recent date of separation from active military duty.

PTSDX → Missing → MDE
PTSDX → 1 → EXCLUDED
PTSDX → 2 → STDYBEG

STDYBEG → Missing or Invalid → MDE
STDYBEG → Valid Date → PTSRNPC

PTSRNPC → 2 → FAIL
PTSRNPC → Missing → MDE
PTSRNPC → 1 → PCPTSDT

PCPTSDT → Missing or Invalid → MDE
PCPTSDT → Valid Date → Set **SCRNDAYS** as STDYBEG - PCPTSDT

Set **SCRNDAYS** as STDYBEG - PCPTSDT → SCRNDAYS

SCRNDAYS → <= 365 → Pg 3
SCRNDAYS → > 365 → LEAVDUTY

99/99/9999 → FAIL

LEAVDUTY → Missing or Invalid → MDE
LEAVDUTY → Valid Date → Set **LEAVDAYS as** STDYBEG - LEAVDUTY

LEAVDAYS → > 1825 → SCRNDAYS
LEAVDAYS → <= 1825 → FAIL

SCRNDAYS → <= 1825 → Pg 3
SCRNDAYS → > 1825 → FAIL

Pg 3

PCPTSD1 — 99 →
PCPTSD1 — 95 or Missing →

1, 2 ↓

PCPTSD2 — 99 →
PCPTSD2 — 95 or Missing →

1, 2 ↓

PCPTSD3 — 99 →
PCPTSD3 — 95 or Missing →

1, 2 ↓

FAIL → In Denominator only (**Fails** indicator) ← 99 — PCPTSD4 — 95 or Missing → MDE

1, 2 ↓

In Denominator only (**Fails** indicator) ← z — PTSDSCOR — Missing → MDE

Numeric Value ↓

SCORINTRP — 99 →
SCORINTRP — 95 or Missing →

1, 2 ↓

In Denominator and Numerator (**Passes** indicator)

PTSDSCOR (MH)
Enter the total score for the screen documented in the record.
(Abstractor can enter default z if no total score is documented)

SCORINTRP (MH)
Enter the interpretation of the score, <u>as documented in the medical record</u>.
1. Positive
2. Negative
95. Not applicable
99. No interpretation documented

PCPTSD (MH)
Enter the patient's answers to each of the Primary Care PTSD Screen questions:
Have you ever had any experience that was so frightening, horrible, or upsetting that, **IN THE PAST MONTH**, you:
PCPTSD1. Have had any nightmares about it or thought about it when you did not want to?
PCPTSD2. Tried hard not to think about it or went out of your way to avoid situations that remind you of it?
PCPTSD3. Were constantly on guard, watchful, or easily startled?
PCPTSD4. Felt numb or detached from others, activities, or your surroundings?
1. Yes
2. No
95. Not applicable
99. No answer documented