

Document Links:

[VTE Instrument](#)

CATNUM (rcvd on pull list)
 Sample category number
 66 – Principal VTE sub-population
 67 – Secondary VTE sub-population

REVSTAT
 REVIEW STATUS (not abstracted)
 0. Abstraction has not begun
 1. Abstraction in progress
 2. Abstraction completed w/o errors
 3. TVG failure (exclusion)
 4. Record contains missing required answers
 5. Administrative exclusion from all measures


AGE (calculated field)
 VTEADMDT - Patient date of birth

VTEDCDT (VTE)
 Discharge Date

VTEADMDT (VTE)
 Date of admission to acute inpatient care:

VTEPRIN (VTE)
 Enter the ICD-9-CM principal diagnosis code:

VTEOTHDX# (1-24) (VTE)
 Enter the ICD-10-CM other diagnosis codes:



COMFORT (VTE)

When is the earliest physician, APN, or PA documentation of comfort measures only?
 1. Day of arrival (day 0) or day after arrival (day 1)
 2. Two or more days after arrival (day 2 or greater)
 3. Comfort measures only documented during hospital stay, but timing unclear
 99. Comfort measures only was not documented by the physician/APN/PA or unable to determine

CLNTRIAL (VTE)

During this hospital stay, was the patient enrolled in a clinical trial in which patients with venous thromboembolism (VTE) were being studied?
 1. Yes
 2. No

DCDISPO (VTE)

What was the patient's discharge disposition on the day of discharge?
 1. Home
 -- Assisted Living Facilities (ALFs) – includes assisted living care at nursing home/facility
 -- Court/Law Enforcement – includes detention facilities, jails, and prison
 -- Home - includes board and care, domiciliary, foster or residential care, group or personal care homes, retirement facilities and homeless shelters
 -- Home with Home Health Services
 -- Outpatient Services including outpatient procedures at another hospital, outpatient Chemical Dependency Programs and Partial Hospitalization
 2. Hospice – Home (or other home setting as listed in #1 above)
 3. Hospice – Health Care Facility
 -- General Inpatient and Respite, Residential and Skilled Facilities, and Other Health Care Facilities
 4. Acute Care Facility
 -- Acute Short Term General and Critical Access Hospitals
 -- Cancer and Children's Hospitals
 -- Department of Defense and Veteran's Administration Hospitals
 5. Other Health Care Facility
 -- Extended or Immediate Care Facility (ECF/ICF)
 -- Long Term Acute Care Hospital (LTACH)
 -- Nursing Home or Facility including Veteran's Administration Nursing Facility
 -- Psychiatric Hospital or Psychiatric Unit of a Hospital
 -- Rehabilitation Facility including Inpatient Rehabilitation Facility/Hospital or Rehabilitation Unit of a Hospital
 -- Skilled Nursing Facility (SNF), Sub-Acute Care or Swing Bed
 -- Transitional Care Unit (TCU)
 -- Veteran's Home
 6. Expired
 7. Left Against Medical Advice/AMA
 99. Not documented or unable to determine

VTETEST (VTE)

Is there documentation that a diagnostic test for VTE was performed within four days prior to arrival or anytime during the hospitalization?

VTE Diagnostic testing includes the following (ALL Inclusive):

- Compression Ultrasound/Vascular Ultrasound/Duplex ultrasound (DUS)/Venous Doppler of lower extremities
- Computed tomography (CT) of thorax (chest), abdomen/pelvis, or lower extremity leg veins with contrast
- Magnetic resonance imaging (MRI or MRV) of the thorax(chest), abdomen/pelvis, or lower extremity leg veins
- Nuclear Medicine Pulmonary Scan/ventilation/perfusion (V/Q) lung scan
- Pulmonary arteriography/angiography/angiogram
- Venography/Venogram of pelvic, femoral or other lower extremity veins using contrast material

1. Yes
2. No

POSVTE (VTE)

Is there physician/APN/PA documentation that the VTE Diagnostic Test confirmed a diagnosis of VTE in one of the defined locations within four calendar days prior to arrival, or anytime during hospitalization?

VTE Confirmed in Defined Locations:


- Pulmonary Emboli (PE)
- Deep Vein Thrombosis (DVT) located in common femoral vein; Common Iliac; External iliac vein; Femoral/superficial femoral vein; inferior vena cava (IVC); Internal iliac, popliteal vein; Profunda/deep femoral vein.


1. Yes
2. No or unable to determine from medical record documentation

WARFADM (VTE)

Is there documentation that warfarin was administered any time after the VTE diagnostic test?

1. Yes
2. No





OVRLAP (VTE)
 Is there documentation that parenteral (IV or subcutaneous) anticoagulation therapy AND warfarin were both administered on the same day during the hospitalization?
 1. Yes
 2. No or unable to determine

YNOVRLAP (VTE)
 Is there physician/APN/PA or pharmacist documentation on the day of or the day after the VTE diagnostic test of a reason why overlap therapy (parenteral anticoagulation therapy and warfarin) was not administered?
 1. Yes
 2. No
 95. Not applicable

ANTI2DT (VTE)
 Enter the first date that a parenteral (IV or subcutaneous) anticoagulant medication AND warfarin were both administered.

ANTICODT (VTE)
 Enter the last date that a parenteral (IV or subcutaneous) anticoagulant medication was administered.

PREINR (VTE)
 Is there documentation of an international normalized ratio (INR) result greater than or equal to 2 (INR ≥ 2) on the day of or the day after the last dose of the parenteral anticoagulation medication?
 1. Yes
 2. No
 95. Not applicable

DCANTICO (VTE)
 Is there a reason documented by a physician/APN/PA or pharmacist for discontinuation of the parenteral anticoagulant therapy on the same day or the day before the order for the discontinuation?
 1. Yes
 2. No
 95. Not applicable

RXANTIDC (VTE)
 Is there documentation that a parenteral (IV or subcutaneous) anticoagulant medication was prescribed at discharge?
 1. Yes
 2. No