CGPI fy2026q2 - SMG8 - Tobacco – Outpt – Pts using tobacco every day or some days who have been advised to quit (NEXUS_WT)

Document Links:

[CGPI Validation Module](#)

[CGPI PI Module](#)

COHORT
16. AMI - Outpatient visit
48. Female, age 20-69
50. Random Sample
51. Random Sample MH
54. Frail/Elderly
60. DM Outpatient

FEFLAG (rcvd on pull list)
FE case flagged for CGPI review / scoring?
0. No
1. Yes

OTHRCARE (Validation)
Is there evidence in the medical record that within the past two years, the patient refused VHA Primary Care and is receiving ONLY his/her primary care in a non-VHA setting?
1. yes
2. no

REVSTAT
REVIEW STATUS (not abstracted)
0. Abstraction has not begun
1. Abstraction in progress
2. Abstraction completed w/o errors
3. TVG failure (exclusion)
4. Record contains missing required answers
5. Administrative exclusion from all measures

HOSPICE (Validation)
During the past year is there documentation in the medical record the patient is enrolled in a VHA or community-based hospice program?
1. Yes
2. No

PTEXPIRE (PI module)
Is there documentation that the patient expired during the time frame from (computer to display stdybeg -1 year to stdyend)?
1. Yes
2. No

CERNER (system flag)
Flag indicating facility is using the Oracle Health eHR

MDE = Missing or Invalid Data Exclusion (data error)

START

COHORT → NOT = 16, 48, 50, 51, 54 or 60
COHORT → 50, 54
COHORT → 16, 48, 51, 60

COHORT → 54 → FEFLAG
COHORT → 50
FEFLAG → 1 → OTHRCARE
FEFLAG → 0 or Missing → EXCLUDED

OTHRCARE → 1
OTHRCARE → 2 or missing → REVSTAT

REVSTAT → NOT = 2 → EXCLUDED
REVSTAT → 2 → HOSPICE

HOSPICE → Missing → MDE
HOSPICE → 1 → EXCLUDED
HOSPICE → 2 → PTEXPIRE

PTEXPIRE → NOT = 1, 2 → MDE
PTEXPIRE → 1 → EXCLUDED
PTEXPIRE → 2 → CERNER

CERNER → 1 → Pg 3a
CERNER → NOT = 1 → Pg 2

Pg 2

TOBSCRN18 — Missing → MDE
TOBSCRN18 — 2, 98 → TOBSCRN18
TOBSCRN18 — 1 ↓

TOBSCRN18 — 2 → Pg 3
TOBSCRN18 — 98 ↓ → EXCLUDED

TOBSCRN25 — Missing →
TOBSCRN25 — 3, 4 → EXCLUDED
TOBSCRN25 — 1, 2, 99 ↓

ECIGUSE — 1 ↑ → EXCLUDED

TOBSCRN25 — 99 → ECIGUSE
TOBSCRN25 — 1, 2 ↓
ECIGUSE — Missing → MDE
ECIGUSE — 2 ↓

TOBFOL25 — Missing → (to MDE)
TOBFOL25 — 1 → PASS
TOBFOL25 — 2 → FAIL

| **TOBSCRN18** (PI)	**ECIGUSE** (PI)
During the past year, was the patient screened for tobacco use by clinical staff using the **National Clinical Reminder for Tobacco Use**? 1. Yes 2. No 98. Patient declined to answer National Clinical Reminder for Tobacco Use screening questions	Does the Tobacco Use Screening question indicate the patient has only used electronic nicotine delivery system (ENDS) and/or other tobacco products (e.g., oral nicotine pouches) during the past year? 1. Yes 2. No
TOBSCRN25 (PI)	**TOBFOL25** (PI)
Enter the response to the Tobacco Use Screening question "Do you smoke cigarettes or use other types of tobacco (cigars, pipe smoking, snuff, dip, or chewing tobacco)?" 1. Yes, Every Day 2. Yes, Some Days 3. Formerly 4. Never 99. None of the above	During the past year, was the patient advised to quit smoking or stop using tobacco by an acceptable provider using the National Clinical Reminder for Tobacco Screen Follow-up? 1. Yes 2. No

CGPI fy2026q2 - SMG8 - Tobacco – Outpt – Pts using tobacco every day or some days who have been advised to quit (NEXUS_WT)

Pg 3

MDE

AGE
- Missing → **MDE**
- >= 35 → NOTOBUSE5
- < 35 → **Pg 3a**

NOTOBUSE5
- Missing → **MDE**
- 1, 98, 99 → EXCLUDED
- 2 → (to Pg 3a junction)

Pg 3a

TOBSCRN18C
- Missing → MDE
- 2, 98 → EXCLUDED
- 1 → POSTOBSCRNC

POSTOBSCRNC
- Missing → MDE
- 2 → EXCLUDED
- 1 → TUCONSEL2C

TUCONSEL2C
- Missing → MDE
- 2 → In Denominator only (**fails** measure)
- 1 → In Denominator & Numerator (**passes** measure)

FAIL → In Denominator only (**fails** measure)

PASS → In Denominator & Numerator (**passes** measure)

AGE (Calculated field)
NEXUS clinic visit date – BIRTHDT

TOBSCRN18C (PI)
During the past year, was the patient screened for or asked about tobacco use by an acceptable provider at a VHA facility that uses the Oracle Health electronic health record?
1. Yes
2. No
98. Patient declined to answer screening questions

POSTOBSCRNC (PI)
Was the tobacco screening done on (computer to display tobscrndtc) positive for tobacco use?
1. Yes
2. No

TUCONSEL2C (PI)
During the past year, was the patient advised to quit smoking or stop using tobacco using the National Clinical Reminder for Tobacco Use?
1. Yes
2. No

NOTOBUSE5 (PI module)
During the time frame from (computer to display stdybeg – 5 years to stdyend – 1 year), does the Tobacco Use Screening documentation indicate on at least three separate occasions the patient has <u>never</u> smoked cigarettes or used other types of tobacco (cigars, pipe smoking, snuff, dip, or chewing tobacco)?
1. Yes
2. No
98. Patient declined to answer National Clinical Reminder for Tobacco Use Screening questions
99. Tobacco Use Screening not documented during specified time frame