

REVSTAT

REVIEW STATUS (not abstracted)

- 0. Abstraction has not begun
- 1. Abstraction in progress
- 2. Abstraction completed w/o errors
- 3. TVG failure (exclusion)
- 4. Record contains missing required answers (error record)
- 5. Administrative exclusion from all measures

AGE - calculated field

ADMDT - Patient date of birth

DCDATE (STK)


Discharge Date


ADMDT (STK)

Admission date

PRINCODE (STK)

ICD-10-CM principal diagnosis code





EDPT (STK)

Did the patient receive care/services in the **Emergency Department of this VAMC?**

1. Yes
2. No

CLNTRIAL (STK)

During this hospital stay, was the patient enrolled in a clinical trial in which patients with stroke were being studied?

1. Yes
2. No

ECARINTV (STK)

Is there documentation that this admission was for the sole purpose of performance of an elective carotid intervention procedure (e.g., elective carotid endarterectomy, carotid angioplasty, carotid stenting)?

1. Yes
2. No

ARRVDAT (STK)

Enter the **earliest** documented date the patient arrived at acute care at this VAMC.


ARRVTIME (STK)

Enter the **earliest** documented time the patient arrived at acute care at this VAMC.

LSTKNWL (STK)

Is there documentation that the date AND time of last known well was witnessed or reported?

1. Yes
2. No



LSTKNWLDT (STK)
Enter the date at which the patient was last known to be well or at his or her baseline state of health.


LSTKNWLTM (STK)
Enter the time at which the patient was last known to be well or at his or her baseline state of health.

IVTPA (STK)
Is there documentation that IV thrombolytic therapy was initiated at this hospital?
1. Yes
2. No

IVTPADT (STK)
Enter the date that IV thrombolytic therapy was initiated at this hospital.

IVTPATM (STK)
Enter the time that IV thrombolytic therapy was initiated at this hospital.

YNOIVTPA (STK)
Is there documentation on the day of or day after hospital arrival of a reason for not initiating IV thrombolytic therapy?
Reasons for not initiating IV Thrombolytic:
-- Documentation that intravenous (IV) or intra-arterial (IA) thrombolytic was initiated by a transferring hospital or EMS prior to hospital arrival
-- Documentation of patient/family refusal of IV thrombolytic
-- Documentation of NIHSS score of zero in the emergency department
-- Documentation of cardiac arrest, respiratory arrest, cardiopulmonary resuscitation, defibrillation, or intubation in the emergency department
-- Comfort Measures Only documented by a physician/APN/PA
-- Other reasons documented by a physician/APN/PA or pharmacist
1. Yes
2. No
95. Not applicable

**EXTPATM (STK)**

Is there documentation on the day of or day after hospital arrival of a reason for extending the initiation of IV thrombolytics to 3 to 4.5 hours from Time Last Known Well?

Reasons for extending the initiation of IV thrombolytic to 3 to 4.5 hours:

- Documentation of treatment to lower blood pressure, (e.g., nicardipine, hydralazine, prior to IV thrombolytic initiation
- Documentation of patient/family refusal of IV thrombolytic which was recanted/reversed prior to IV thrombolytic initiation
- Documentation of cardiac arrest, respiratory arrest, cardiopulmonary resuscitation, defibrillation, or intubation in the emergency department prior to IV thrombolytic initiation
- Other reasons documented by physician/APN/PA or pharmacist

1. Yes
2. No
95. Not applicable